

TABLES ET ACCESSOIRES DE PHYSIOTHÉRAPIE

Tables de traitement, tabourets, chariots de soin et accessoires

CATALOGUE 2025

AMEZ EUS



HEALTH FIT & SPORT

A VOTRE SERVICE DEPUIS 1995



Structural features

Enhanced structural rigidity achieved through tube thickness.

Mayor rigidez estructural gracias al grosor de los tubos.

Rigidité structurelle améliorée grâce à l'épaisseur du tube.

La rigidità strutturale è stata potenziata allo spessore del tubo.

Erhöhte strukturelle Festigkeit durch die Dicke der Rohre.

Designed with minimal plastic use.

Diseñado con un uso mínimo de plástico.

Conçu avec une utilisation minimale de plastique.

Progettato con un utilizzo minimo di plastica.

Mit minimalem Kunststoffeinsatz gestaltet.

Upgraded wheel lift system.

Sistema de elevación de ruedas mejorado.

Système de levage des roues amélioré.

Sistema di sollevamento delle ruote migliorato.

Verbessertes Radhebesystem.

Greater stability via reinforced connecting rod.

Mayor estabilidad gracias a la biela reforzada.

Stabilité accrue grâce à la bielle renforcée.

Maggiore stabilità grazie alla biella rinforzata.

Höhere Stabilität durch verstärkte Verbindungsstange.

Functional features

**Tente castors: European leading brand in medical sector.**

Ruedas Tente: Marca europea líder en el sector médico.

Roulettes Tente: marque européenne leader dans le secteur médical.

Ruote Tente: marchio leader europeo nel settore medicale.

Tente-Rollen: Führende europäische Marke im medizinischen Bereich.

Linak silent motors and Timotion fast motor.

Motores silenciosos Linak y motor rápido Timotion.

Moteurs silencieux Linak et moteurs rapides Timotion.

Motori silenziosi Linak e motore rapido Timotion.

Linak Silent-Motoren und Timotion Fast-Motoren

Highly resistant and durable components.

Componentes de alta resistencia y durabilidad

Composants très résistants et durables.

Componenti altamente resistenti e durevoli.

Hochbelastbare und langlebige Komponenten.

5 years warranty on structure and components.

5 años de garantía en estructura y componentes.

5 ans de garantie sur la structure et les composants


5 anni di garanzia su struttura e componenti.

5 Jahre Garantie auf Struktur und Komponenten.



Ergonomic features

Three-layer design with dual stiffness for optimal functionality and ergonomics.
Diseño de 3 capas con doble rigidez para una funcionalidad y ergonomía óptimas.
Conception à trois couches avec double rigidité pour une fonctionnalité et une ergonomie optimales.
Design a tre strati con doppia rigidità per una funzionalità ed ergonomia ottimali.
Dreischichtdesign mit doppelter Steifigkeit für optimale Funktionalität und Ergonomie.




40 gr/cm² surface layer (20 mm) Capa superior de 40 gr/cm ² Couche de surface 40 gr/cm ² Strato superficiale da 40 gr/cm ² Deckschicht 40 g/cm ²	Base layer of 50 gr/cm² (20 mm) Capa base de 50 gr/cm ² Couche de base 50 gr/cm ² Strato base da 50 gr/cm ² Basisschicht 50 g/cm ²	Stiffer 15 mm board Tablero rígido de 15 mm Panneau rigide de 15 mm Pannello rigido da 15 mm Stärkere 15-mm-Platte
--	--	---


Avant 201




Avant 201 MD 2 Sections



82 kg	250 kg
Base colour	
Wheels	TENTE
Motor	T:MOTION
Back rest inclination	80°-30°
Medical certification	
Quick Assembly System	
Paper roll holder	



Avant 431 MD 4 Sections. Three - section headrest




83 kg	250 kg
Base colour	
Wheels	TENTE
Motor	T:MOTION
Back rest inclination	80°-30°
Medical certification	
Quick Assembly System	
Paper roll holder	



Avant 411

MD

4 Sections
One – section headrest




KG 83 kg	Max 250 kg
Base colour	
Wheels	TENTE
Motor	T.MOTION
Back rest inclination	80°-30°
Medical certification	☒
Quick Assembly System	☒
Paper roll holder	☒




Avant 532

MD

5 Sections / 2 motors
Three – section headrest




KG 95 kg	Max 250 kg
Base colour	
Wheels	TENTE
Motor	T.MOTION
Back rest inclination	80°-30°
Medical certification	☒
Quick Assembly System	☒
Paper roll holder	☒



Avant 531

MD

5 Sections
Three – section headrest



KG 87 kg	Max 250 kg
Base colour	
Wheels	TENTE
Motor	T.MOTION
Back rest inclination	80°-30°
Medical certification	☒
Quick Assembly System	☒
Paper roll holder	☒



Avant colour range

Colour Anthracite	Colour Ocean	Colour Blue	Colour Pearl
Colour Wine	Colour Cactus	Colour Taupe	Colour Ivory

Avant motor

- High-speed drive: TiMotion TA37 actuator, 15 mm/s, 6000N.
- Height range: 43 – 93 cm, full stroke in approx. 14s.
- Optional battery with charge control available — requires a simple control box change.
- Class I Medical Device. European Regulation of medical devices.






Classic 201

MD

2 Sections




77 kg	250 kg
Base colour	☐ ☒
Wheels	TENTE
Motor	LINAK
Headrest inclination	80°-30°
Medical certification	☒
Quick Assembly System	☒
Paper roll holder	☒



Classic 431

MD

4 Sections.
Three - section headrest




78 kg	250 kg
Base colour	☐ ☒
Wheels	TENTE
Motor	LINAK
Headrest inclination	80°-30°
Medical certification	☒
Quick Assembly System	☒
Paper roll holder	☒



Classic 411

MD

4 Sections
One-section – section headrest




KG 77 kg Max 250 kg	
Base colour	
Wheels	TENTE
Motor	LINAK
Headrest inclination	80°-30°
Medical certification	
Quick Assembly System	
Paper roll holder	




Classic 532

MD

5 Sections / 2 motors
Three – section headrest




KG 90 kg Max 250 kg	
Base colour	
Wheels	TENTE
Motor	LINAK
Headrest inclination	80°-30°
Medical certification	
Quick Assembly System	
Paper roll holder	




Classic 531

MD

5 Sections
Three – section headrest



KG 82 kg Max 250 kg	
Base colour	
Wheels	TENTE
Motor	LINAK
Headrest inclination	80°-30°
Medical certification	
Quick Assembly System	
Paper roll holder	



Classic colour range

Colour Anthracite	Colour Ocean	Colour Blue	Colour Pearl
Colour Wine	Colour Cactus	Colour Taupe	Colour Ivory

Classic motor


- Features: Linak KA30 actuator, 6000N, speed 8 mm/s.
- Height range: 43 – 93 cm, full stroke in approx. 32s
- Optional battery with charge control available — requires a simple control box change.
- Class I Medical Device. European Regulation of medical devices



Pro 201

MD

2 Sections



62 kg	250 kg
Base colour	
Wheels	
Motor	
Backrest inclination	80°
Medical certification	
Quick Assembly System	
Hand controller	
Paper roll holder	


ELECTRIC



Pro 200

MD

2 Sections



72 kg	250 kg
	Hydraulic pump 10000N
Base colour	
Wheels	
Backrest inclination	80°
Medical certification	
Quick Assembly System	
Paper roll holder	


HYDRAULIC



Pro 431

MD

4 Sections.
Three – section headrest



72 kg	250 kg
Base colour	
Wheels	
Motor	
Headrest inclination	80°
Medical certification	
Quick Assembly System	
Hand controller	
Paper roll holder	


ELECTRIC



Pro 430

MD

4 Sections.
Three – section headrest



72 kg	250 kg
	Hydraulic pump 10000N
Base colour	
Wheels	
Headrest inclination	80°
Medical certification	
Quick Assembly System	
Paper roll holder	


HYDRAULIC




Pro 531

MD

5 Sections
Three – section headrest




KG 72 kg	Max 250 kg
Base colour	
Wheels	TENTE
Motor	LINAK
Headrest inclination	80°
Medical certification	
Quick Assembly System	
Hand controller	
Paper roll holder	




Pro 301

MD

3 Sections




KG 72 kg	Max 250 kg
Base colour	
Wheels	TENTE
Motor	LINAK
Backrest inclination	80°
Medical certification	
Quick Assembly System	
Hand controller	
Paper roll holder	




Pro 530

MD

5 Sections
Three – section headrest




KG 72 kg	Max 250 kg
	Hydraulic pump 10000N
Base colour	
Wheels	TENTE
Headrest inclination	80°
Medical certification	
Quick Assembly System	
Paper roll holder	




Pro 300


MD

3 Sections.
Three – section headrest



KG 72 kg	Max 250 kg
	Hydraulic pump 10000N
Base colour	
Wheels	TENTE
Backrest inclination	80°
Medical certification	
Quick Assembly System	
Paper roll holder	





Transfer-ready base

High-clearance base specifically designed to allow patient transfer machines to fit underneath, enabling safer and more efficient patient movement.

PRO DESIGNED TO PERFORM

Smart solutions for everyday **care**

About **Pro** features

Robust and efficient

01

LINAK
WE IMPROVE YOUR LIFE



PRO Electric: Silent Power

PRO Electric: LINAK KA30 Silent Actuator, 8000N, speed 8 mm/s. – Full stroke 19cm in approx. 32s.

Control and precision

02



PRO Hydraulic: Built to Lift

PRO Hydraulic: Hydraulic pump 10000N made of steel.

100% standards compliant

03

MD

Certified Class I Medical Device

Class I Medical Device. European Regulation of medical devices.

Maximum safety

04



Safe & Certified PVC Leather

M2 fire-resistant certified PVC leather complies with safety standards required for public space applications.

Practical & accessible

05



Foot controller

Pro Electric: add-on Linak foot controller available as an optional feature.

Absolute freedom

06



Add Battery & Charge Control

Optional battery with charge control available — requires a simple control box change.

Pro colour range
Electric & hydraulic



COLOUR
Anthracite




COLOUR
Ocean

Titan 301

Titan 301

MD

2 Sections



79 kg	200 kg
Base colour	
Motor	DEWERT
Backrest inclination	80°
Medical certification	
Paper roll holder	




Titan 308

Titan 308

MD

4 Sections.
Three-section headrest



77 kg	200 kg
Base colour	
Motor	DEWERT
Headrest inclination	80°
Medical certification	
Paper roll holder	



Kinne

Reliable performance in a functional design

Stable, with foldable legs and 80% less plastic.

Estable, con patas plegables y un 80% menos de plástico.

Stable, avec pieds pliables et 80 % de plastique en moins.

Struttura stabile, gambe pieghevoli e fino all'80% di plastica in meno.

Stabil, mit klappbarem Untergestell und 80 % weniger Kunststoff.




Kinne



Kinne


2 Sections



 40 kg	 200 kg
Base colour	
Backrest inclination	80°
Paper roll holder	



Kinne colour range



COLOUR
Anthracite

Kinne highlights

-  **Features:** 80° backrest inclination
-  **Convenience:** foldable legs for easy storage and mobility

Obsi

Saddle-style seat for better comfort and posture. Chrome base with adjustable height and 5 wheels for maximum stability. **Anthracite or white upholstery.**

↔	Ø 42 cm	↕	57 - 77 cm
⌀	48 cm (base)	📦	48 x 22 x 48 cm
KG	7 kg	Max	175 kg
● ○	Colours		



Sun

Ultimate comfort with ergonomic seat and backrest, plus customizable height and tilt adjustments. Sturdy base with 5 silent, anti-crush wheels for effortless movement. **Anthracite upholstery.**

↔	Ø 41 cm	↕	50 - 68 cm
⌀	48 cm (base)	📦	59 x 30 x 60 cm
KG	11 kg	Max	175 kg
●	Colours		



Opal

Ergonomic flat and round seat with adjustable height to promote proper posture. Durable star-shaped aluminium base with 5 silent, flexible wheels. **Anthracite or white upholstery.**

↔	Ø 34 cm	↕	56 - 75 cm
⌀	48 cm (base)	📦	48 x 22 x 48 cm
KG	6 kg	Max	175 kg
● ○	Colours		



Sun

Ultimate comfort with ergonomic seat and backrest, plus customizable height and tilt adjustments. Sturdy base with 5 silent, anti-crush wheels for effortless movement. **White upholstery.**

↔	Ø 41 cm	↕	50 - 68 cm
⌀	48 cm (base)	📦	59 x 30 x 60 cm
KG	11 kg	Max	175 kg
○	Colours		



Tro- lleys

Functionality on wheels — trolleys designed professional workspaces.

Funcionalidad sobre ruedas: carros diseñados para espacios de Trabajo profesionales.

Fonctionnalité sur roues — chariots conçus pour des espaces professionnels.

Funzionalità su ruote — carrelli progettati per ambienti di lavoro professionali.

Funktionalität auf Rädern — Wagen für professionelle Arbeitsbereiche konzipiert.



Thul

Ulex

Sturdy white metal trolley with 2 shelves, top drawer, and smooth-rolling wheels for easy mobility.

↑ ↓	83 cm	↔	55 x 42 cm
📦	Metal and glass		
📦	79 x 47 x 32 cm		
⚖️	17 kg	⚖️	30 kg



Thul

Wooden trolley with 1 shelf and 2 drawers for organized storage, plus glide-friendly wheels for easy mobility.

↑ ↓	86 cm	↔	57 x 42 cm
📦	Wood		
📦	65 x 50 x 94 cm		
⚖️	32 kg	⚖️	30 kg



Unak

Durable white metal and glass trolley with 3 spacious shelves and sturdy, easy-glide caster wheels.

↑ ↓	81 cm	↔	60 x 47 cm
📦	Metal and glass		
📦	76 x 46 x 15 cm		
⚖️	16 kg	⚖️	30 kg



Topaz

White metal and glass trolley with 3 shelves and sturdy, easy-move wheels for effortless mobility.

↑ ↓	80 cm	↔	54 x 43 cm
📦	Metal and glass		
📦	77 x 46 x 16 cm		
⚖️	14 kg	⚖️	30 kg



Palm

Head horseshoe cushion

↕	7 cm	↔	29 cm
KG	0,2 kg		
Colour			



Thumb

1/2 Cylinder

↔	60 x 20 cm	↕	10 cm
KG	0,35 kg		
Colour			



Rist

Wedge cushion

↔	65 x 53 cm	↕	28 cm
KG	1,90 kg		
Colour			



Ring

3/4 Cylinder

↔	60 x 20 cm	↕	15 cm
KG	0,52 kg		
Colour			



Index

Cylindrical cushion

↔	55 cm	↕	Ø 25 cm
KG	0,6 kg		
Colour			



Collection **Avant**

01

Avant 411



Avant 201



Avant 531



Avant 431



Avant 532



Collection **Classic**
Grey

02

Classic 411



Classic 201



Classic 531



Classic 431



Classic 532



Collection **Classic**
White

02

Classic 411



Classic 201



Classic 531



Classic 431



Classic 532



Collection **Pro**

03

Electric

Pro 201



Pro 531



Pro 431



Pro 301



Collection **Pro**

Hydraulic

04

Pro 200



Pro 530



Pro 430



Pro 300



Collection **Titan**

05

Titan 301



Titan 304



Titan 308



Titan 304 F



Collection **Kinne**

06

Kinne



Obsi anthracite



Obsi white



Stools

07

Sun anthracite



Sun white



Opal anthracite



Opal white



Trolleys

08

Ulex



Thul



Unak



Topaz



Bolsters

09

Index



Thumb



Rist



Ring



Palm

