

Baignoires médicales et équipements d'hygiène

Baignoires de soin, chariots et fauteuils de douche,
panneaux de douche et élévateurs de bain.



HEALTH FIT & SPORT

A VOTRE SERVICE DEPUIS 1995

TR 2000/3000

Shower trolleys

TR 2000/3000 Shower trolleys

The TR 2000 hydraulic and TR 3000 battery-operated shower trolleys feature a side-mounted column, allowing the trolley stretcher to overlap the bed for safe and easy patient transfers.

The height-adjustable shower trolley includes a battery charger (for the TR 3000 model), a blue mattress with dual drainage, a head pillow, and a flexible 1-meter drainage hose. It comes standard with 100 mm twin castors with brakes and foot-operated height adjustment.

Please select the appropriate mains charger plug based on the country's plug requirements.



TR 2000



TR 3000

Specifications:

Length:	1600/1900/2100 mm (TR 2000-W = 1950 mm)
Width:	640 mm (TR 2000-W = 695 mm)
Height:	Min. 600 mm, Max. 900 mm
Max patient weight:	200 kg
Chassis:	Powder coated stainless and zinc plated steel
Castors:	Four castors with brakes
Control:	Foot control for height adjustment
Mattress, pillow:	Blue flame retardant material
Battery (TR 3000):	Rechargeable, 24 V, 7Ah / Removable 4 Ah

Product description TR 2000 hydraulic shower trolley models		Part Number
TR 2000	Hydraulic shower trolley standard, size 1900 x 640 mm	0540010
TR 2000-S	Hydraulic pediatric shower trolley, size 1600 x 640 mm	0540015
TR 2000-L	Hydraulic extra long shower trolley, size 2100 x 640 mm	0540016
TR2000-W	Hydraulic extra wide shower trolley, size 1950 x 695 mm	0540017
Product description TR 3000 models		Part Number
TR 3000	Standard size 1900 x 640 mm <u>with on board batteries</u>	0540000
TR 3000-S	Pediatric Short size 1600 x 640 mm <u>with on board batteries</u>	0540005
TR 3000-L	Long size 2100 x 640 mm <u>with on board batteries</u>	0540006
TR 3000-R	Standard 1900 x 640 mm <u>with removeable 4 Ah battery</u>	0540000-R
TR 3000-RS	Pediatric short size 1600 x 640 mm <u>with removeable 4 Ah battery</u>	0540005-R
TR 3000-RL	Long 2100 x 640 mm <u>with removeable 4 Ah battery</u>	0540006-R

Specify mains connection plug for battery charger when purchasing TR 3000 above:

- EURO plug type C: part# 819140
- UK plug type G part# 819142
- US plug type A part# 819141

Specify battery charger on your order when purchasing TR 3000-R above charger:

- EURO plug: part# 0521197
- UK plug: part#0521199
- US plug: part#0521198

TR 2000 / TR 3000 Shower trolleys accessories and options:

Mattress and pillow options:	Part Number
Blue head pillow (L x W x H) 500 x 300 x 95 mm (included as standard with TR 2000/3000 Mod 21)	7419488-04
Complete blue mattress L=190 cm w. drainage outlet and plug (incl. as standard with TR 2000/3000 Mod 21)	0540001
Complete blue mattress L=160 cm (included as standard with TR 2000/3000 Mod 21)	0540002
Complete blue mattress L=210 cm (included as standard with TR 2000/3000 Mod 21)	0540003
Complete blue mattress for TR 2000 W (# 0540017) (included as standard with TR 2000-W)	0532001
Backrest wedge pillow 15°, blue, dimensions: L 580 x W 500 x H 140	7418363-02
Options/accessories:	Part Number
Flexible drainage hose L= 1.0 m (included as standard)	820818-4224
Flexible drainage hose L= 2.5 m	820818-4224-25
MagCode battery charger for TR 3000/TR 3200/TR 4000/TR 4200/TR 9650 (included as standard)	0541226
Straight steering kit for TR 2000/3000 Mod. 2021 (2 castors)	0540050
Battery pack for removable version (TBB5 Li-ion)	200110
Wall bracket for battery pack	3232622
Hand controll for TR 3000 (plug and play option)	7440001

TR 3200

Shower trolley

TR 3200 Shower trolley

The TR 3200 battery-operated shower trolley features side-mounted columns, allowing the trolley stretcher to overlap the bed for safe and easy resident transfers.

Included with the shower trolley are a battery charger, a blue mattress with dual drainage, a blue pillow, and a flexible 1-meter drainage hose. It comes standard with 100 mm twin castors with brakes and hand-controlled height adjustment.

Please select the appropriate mains charger plug based on the country's plug requirements.



Specifications:

Length:	Standard 1950 mm, Large 2150 mm
Width:	Standard 695 mm, Large 795 mm
Height:	Min. 500 mm, Max. 900 mm
Max patient weight:	230 kg
Chassis/frames:	Powder coated stainless steel
Castors:	100 mm twin castors.
Control:	Hand control for height and tilt adjustment
Mattress, pillow:	Blue flame retardant material
Battery:	Rechargeable, 24 V, 7Ah / Removable 4 Ah

You can also buy our shower panel TR 2810 which compliments the shower trolley.



Product description TR 3200 with on board batteries models		Part Number
TR 3200	Specification as above with 4 braked castors, on board batteries, size 1950 x 695 mm	0532000-4B
TR 3200-L	Specification as above with 4 braked castors, on board batteries, size 2150 x 795 mm	0532010-4B

Specify mains connection plug for Battery charger when purchasing TR 3200 or TR 3200
• EURO plug type C: part# 819140 • UK plug type G part# 819142 • US plug type A part# 819141

Product description TR 3200 with removable battery models		Part Number
TR 3200-R	Shower trolley, with removeable 4 Ah battery, size 1950 x 695 mm, 4 braked castors	0532005-4B
TR 3200-R	Shower trolley with removeable 4 Ah battery, size 2150 x 795 mm, 4 braked castors	0532015-4B

Specify battery charger on your order when purchasing TR 3200 R or TR 3200 LR
• Charger with EURO plug: part# 0521197 • UK plug: part#0521199 • US plug: part#0521198

Options, Mattress and Pillows TR 3200	Part Number
Straight steering kit for TR 3200 and TR 2000/3000 Mod.21 (2 caster)	0540050
Blue mattress for TR 3200 and TR 3200-R, complete with drainage outlet and plug	0532001
Blue mattress for TR 3200-L and TR 3200-LR, complete with drainage outlet and plug	0532011
Blue pillow, dimensions: (L x W x H) 500 x 300 x 95 mm (19,7" x 11,8" x 3,7")	7419488-04
Backrest wedge pillow 15°, BLUE, dimensions: L 580 x W 500 x H 140	7418363-02
Backrest wedge pillow 30°, Blue, L 580 x W 600 x H 280	7419491-02
Battery pack for removable version (TBB5 Li-ion)	200110
Wall bracket for battery pack for TR 3200-R / TR 1000	3232622

TR 4200 Atlas Jr.

Shower Trolleys

TR 4200 Atlas Jr. Bariatric Shower Trolley

The TR 4200 Atlas Jr battery-operated bariatric shower trolley is designed to handle high patient loads while providing a large showering platform. This enhances patient comfort and offers greater flexibility for caregivers.

The TR 4200 is an excellent solution for preventing back injuries and minimising static loads, creating a safe and ergonomic working environment for caregivers, even when dealing with bariatric patients.

Included with the shower trolley are a battery-operated, height-adjustable stretcher with hand control, a battery charger, a blue mattress, a blue head pillow, and a flexible 1-meter drainage hose. It also features a centralised brake and straight steering system.

Please choose the appropriate mains charger plug for the country's plug requirements.



Specifications:

Length:	2150 mm
Width:	740 mm
Height:	535 - 835 mm
Max patient weight:	270 kg
Brake bar and upper side rail/hinge:	Powder coated stainless steel
Castors:	150 mm. Centralised brake and straight steering
Control:	Hand control for height and tilt adjustment
Mattress, pillow:	Blue flame retardant material
Battery :	Rechargeable, 24 V, 7Ah / Removable 4 Ah

Product description		Part Number
TR 4200	Atlas shower trolley, size 2150 x 740 mm with on board batteries	0521050
TR 4200-R	Atlas shower trolley, size 2150 x 740 mm with removable batteries	0521050-R

Specify mains connection plug for on board battery charger TR 3200/TR 4000/TR 4200/TR 3000:

- EURO plug type C: part# 819140
- UK plug type G part# 819142
- US plug type A part# 819141

Specify mains connection plug removable battery charger -R models:

- Charger with EURO plug: part# 0521197
- UK plug: part#0521199
- US plug: part#0521198

TR 4000 Atlas

Shower Trolley

TR 4000 Atlas Bariatric Shower Trolley

The TR 4000 Atlas battery-operated bariatric shower trolley is designed to handle high patient loads and features a large showering platform, enhancing patient comfort and providing greater flexibility for caregivers.

This helps to prevent back injuries and minimise static loads, ensuring a safe and ergonomic working environment for caregivers, even when working with bariatric patients.

The shower trolley includes a battery-operated, height-adjustable stretcher with hand control, a battery charger, a blue mattress, a 15° blue wedge pillow, and a flexible 1-meter drainage hose. It also features a centralised brake and straight steering system.

Please select the appropriate mains charger plug based on the country's plug requirements.



Specifications:

Length:	2210 mm
Width:	915 mm (W=1010 mm)
Height:	535 - 835 mm
Max patient weight:	450 kg
Brake bar and upper side rail/hinge:	Powder coated stainless steel
Castors:	150 mm, brakes on all four castors and straight steering
Control:	Hand control for height adjustment and tilting
Mattress, pillow:	Blue flame retardant material
Battery:	Rechargeable, 24 V, 7Ah / Removable 4 Ah

Product description		Part Number
TR 4000	Atlas shower trolley, size 2210 x 915 mm with on board batteries	0521040
TR 4000-R	Atlas shower trolley, size 2210 x 915 mm with removable batteries	0521040-R
TR 4000-W	Atlas shower trolley, size 2210 x 1010 mm with on board batteries	0521047
TR 4000-WR	Atlas shower trolley, size 2210 x 1010 mm with removable batteries	0521047-R

Specify mains connection plug for on board battery charger TR 4000:

- EURO plug type C: part# 819140
- UK plug type G part# 819142
- US plug type A part# 819141

Specify mains connection plug removable battery charger -R models:

- Charger with EURO plug: part# 0521197
- UK plug: part#0521199
- US plug: part#0521198

TR 4000 / TR 4200 Shower trolleys accessories and options:

Options, mattress and pillows TR 4000, TR 4200,	Part Number
Blue mattress TR 4000 with drainage and outlet plug (included as standard in 0521040)	7319910-02
Blue mattress TR 4000 w/o drainage and outlet plug	7329504-02
Blue mattress TR 4200 with drainage and outlet plug (included as standard in 0521050)	7319911-02
Blue Blue mattress TR 4200 w/o drainage and outlet plug	7329913-02
Blue pillow, dimensions: (L x W x H) 500 x 300 x 95 mm (included as standard on 0521050)	7419488-04
Backrest wedge pillow 15°, Blue, L 580 x W 500 x H 140 (included as standard 0521040)	7418363-02
Backrest wedge pillow 30°, Blue, L 580 x W 600 x H 280	7419491-02
Flexible drainage hose L=1.0 m (incl. as standard for all TR shower trolleys)	820818-4224
Flexible drainage hose L=2.5m	820818-4224-25
Mattress fasteners (fits all TR mattresses)	Part Number
Blue fastener (pig nose) for mattress	7350385-02
Strap for mattress fastener, 30 cm including clasp	7350385-04
Battery	
Battery pack for removable version (TBB5 Li-ion)	200110

TR 1000

Shower chair

TR 1000 Shower chair

The TR 1000 battery-operated shower chair is height-adjustable and can tilt backward and forward, making transfers and showering easier and more efficient. It's an excellent solution for minimising static load and ensuring a safe, ergonomic working environment for caregivers.

The chair comes with 100 mm braked twin castors, a removable rechargeable battery, a battery charger, a headrest, and a safety belt.

Please select the appropriate mains charger plug for the country's plug requirements.



Customised colors
available

Specifications:

Lifting stroke range:	400 mm
Max patient weight:	200 kg
Tilt backwards (recline):	25 degrees
Tilt forwards:	7 degrees
Structure:	Powder coated, zinc plated steel and stainless steel
Castors:	Twin Ø100 mm castors with locking brakes
Control:	Hand control for height adjustment and tilting
Battery:	Removable and rechargeable, 24V, 4 Ah

Product description TR 1000 shower chair armrests		Part Number
TR 1000	Shower chair, straight armrests	0521000
TR 1000	Shower chair, front closing armrests	0521010
TR 1000-W	Shower chair, straight armrests extended width (50mm)	0511000
TR 1000-W	Shower chair, front closing armrests (50mm)	0511010

Specify battery charger on your order when purchasing TR 1000:

- EURO plug 0521197
- US plug 0521198
- UK plug 0521199

Options TR1000	Part Number
Foot rest (foldable and height adjustable)	0521015
Chair raising kit (increases height by 52mm)	0521030
Straight steering kit (one castor front right) TR 1000	0521032
Safety chestbelt to shower chair TR 1000	0521020

Accessories TR 1000	Part Number
Bedpan (plastic) including lid	850169
Wall bracket for battery pack	3232622
Battery pack (TBB5 Li-ion)	200110

TR 2810


Shower Panel

TR 2810 Shower Panel

The TR 2810 is a shower panel featuring a thermostatic mixing valve and a separate cleaning system. When used with TR shower trolleys, it provides a complete shower system that ensures comfort, safety, and hygiene for both patients and caregivers.

The panel includes a separate cold water cleaning system with a safety valve, handle, and a 2.2-meter yellow hose.

The TR 2810 is also available with an optional mechanical lock for the cleaning detergent bottle.



Specifications:

Length:	580 mm
Height:	360 mm
Depth:	130 mm
Reccommended mounting height from floor:	1 250 mm
Minimum dynamic water pressure:	0,15 Bar
Maximum dynamic water pressure:	5 Bar
Hose length:	2,2 m

Product description TR 2810 shower panel models	Part Number
Shower panel with thermoscopic mixer	0520070-02
Shower panel with thermoscopic mixer with lock for disinfection bottle	0520071
Shower hose thermometer (to be attached between hose and shower handle) 	819359
Backflow prevention for EU models 0520070-02 and 0520071	0520073



TR 2810 with lock for disinfection



TR 3200 with shower panel



TR 1000 with shower panel

Shower trolley dimension matrix

Choose the right equipment and improve working environment for your staff, prevent back injuries, increase productivity for the best value.



Model	Type	Max patient weight: (Kg)	Adjustable height (mm)	External length (mm)	External width (mm)	Patient work area (mm)	Floor clearance (mm)
TR 2000-S, TR 3000-S	<i>Pediatric</i>	200	625 - 925	1 600	640	1 430 x 585	160
TR 2000, TR 3000	<i>Standard</i>	200	625 - 925	1 900	640	1 730 x 585	160
TR 2000-L, TR 3000-L	<i>Long</i>	200	625 - 925	2 100	640	1 930 x 585	160
TR 2000-W	<i>Wide</i>	200	625 - 925	1 950	695	1 780 x 640	160
TR 3200 / TR 3200-R	<i>Standard</i>	230	500 - 900	1 950	695	1 780 x 640	160
TR 3200-L / TR 3200-LR	<i>Large</i>	230	500 - 900	2 150	795	1 980 x 740	160
TR 4200 Atlas Jr	<i>Bariatric</i>	270	535 - 835	2 150	740	1 980 x 620	145
TR 4000 Atlas	<i>Bariatric</i>	450	535 - 835	2 210	915	1 980 x 780	145
TR 4000 Atlas Wide	<i>Bariatric</i>	450	535 - 835	2 210	1010	1 980 x 875	145

TR 900

Height adjustable bathtub

TR 900 - Height adjustable full featured bath

The TR 900 is a height-adjustable bathtub designed for facilities with a "no lift policy." It allows caregivers to bathe patients efficiently and safely, improving productivity while maintaining a safe handling environment.

The bathtub features electric height adjustment, foot support, and is constructed from white fiberglass. It includes a thermostatic valve and a thermometer for both showering and filling the bathtub with water.

The TR 900 comes complete with a patient shower hose, a shower handle, and a hot and cold water installation set (3/4" R20), which includes 2 check valves and 2 ball valves.



Specifications:

Length:	2 325 mm
Width:	830 mm
Typical lift speed, no load:	11 mm/s
Max patient weight:	150 kg
Operating height range (bathtub):	610 - 940 mm
Power supply:	230 V, 50 Hz or 110 V, 60Hz
Overall weight (empty):	265 kg

Options/accessories available for TR 900

- Cleaning/disinfection system (TR 900-C).
- Autofill with 2 different pre-set levels (TR 900-A).
- Disinfection fluid flow meter, only on baths with cleaning.
- TMV 3 thermostatic mixer.
- Stainless steel bathtub (TR 900-SS).
- Transport wheel beam and offloading ramp (see photo).
- Head pillow
- Emergency lowering system.
- Large foot support (H=145mm).
- Risk 5 gantry for UK market.

Wellness options available for TR 900

- Whirlpool system (TR 900-W).
- Local treatment hose (only on TR 900 with Whirlpool)

Product description TR 900 models		Part Number
TR 900	Height adjustable bathtub, 230 V	05192150
TR 900-C	Height adjustable bathtub with a built-in cleaning system with safety valve, yellow hose, cleaning shower handle and cold water installation set 1/2" R15 (1 check valve + 1 ball valve). 230 V	05192160
TR 900-CW	Height adjustable bathtub with a built-in Cleaning system with safety valve, yellow hose and cleaning shower handle, Whirlpool system with air control and cold water installation set 1/2" R15 (1 check valve + 1 ball valve). 230 V	05192170
TR 900-A	Autofill. Height adjustable bathtub	05192155
TR 900-CA	Autofill. TR 900 Autofill bathtub with a built-in cleaning system with safety valve, yellow hose, cleaning shower handle and cold water installation set (1 check valve + 1 ball valve). 230 V	05192165
TR 900-CWA	Autofill. Autofill bathtub with a built-in cleaning system with safety valve, yellow hose, cleaning shower handle and cold water installation set (1 check valve + 1 ball valve). Whirlpool system with air control. 230 V	05192175
TR 900	Height adjustable bathtub, UK version with TMV3 Thermostatic valve. 230 V	05192151
TR 900-C	Height adjustable bathtub with a built-in cleaning system with safety valve, yellow hose and cleaning shower handle and cold water installation set 1/2" R15 (1 check valve + 1 ball valve). UK version with TMV3 Thermostatic valve. 230 V	05192161
TR 900-CW	Height adjustable bathtub with a built-in cleaning system with safety valve, yellow hose and cleaning shower handle, Whirlpool system with air control and cold water installation set 1/2" R15 (1 check valve + 1 ball valve). UK version with TMV3 Thermostatic valve. 230 V	05192171

You can also use the TR 9650 which compliments this product.

The TR 9650 mobile patient combilift system provides a safe moving and handling for both patient and caregiver. During the bathing cycle the client never leaves the comfort and security of the chair or stretcher.



TR 900 SS

Stainless steel height adjustable bathtub

TR 900 Height adjustable full featured bath stainless steel

The TR 900 Stainless Steel bathtub is height-adjustable and features a glass fiber panel. This chemical-resistant tub has easy-to-clean surfaces that help prevent bacterial growth both inside and outside, ensuring a high standard of hygiene. It is ideal for care facilities involved in burn treatments and other demanding environments.

The TR 900 SS can be delivered with all the standard configurations available for the TR 900. Stainless Steel (EN 1.4301/2333)



Specifications:

Length	2 325 mm
Width	830 mm
Typical lift speed, no load	11 mm/s
Max patient weight:	150 kg
Operating height range (bathtub)	610 - 940 mm
Power supply	230 V, 50 Hz or 110 V, 60 Hz
Overall weight (empty):	265 kg

Accessories/Options:

- Transport wheel beam and set of loading ramp.
- Installation set TR 900 SS, TR 900 SSC, TR 900 SS CW.
- Local treatment in combination with Whirlpool.
- Emergency lowering system.
- All wellness options can be configured with cleaning and Autofill functions.

Wellness options available for TR 900:

- Whirlpool system (TR 900W).
- Head pillow.

Product description TR 900 SS models		Part Number
TR 900 SS	Standard	05192150SS
TR 900 C SS	Cleaning system	05192160SS
TR 900 CW SS	Cleaning and Whirlpool system	05192170SS
TR 900 A SS	Autofill system	05192155SS
TR 900 CA SS	Cleaning and autofill system	05192165SS
TR 900 CWA SS	Cleaning, Whirlpool and autofill system	05192175SS

Options and accessories for TR 900	Part Number
Head pillow TR 900	7419488-02
Large foot support H 145 mm (standard H 95 mm)	7126911
Transport wheel beam and a set of off loading ramps.	05193000
Local treatment hydro only available for TR 900 models with Whirlpool	05193032
Desinfection flowmeter control display only for TR 900 models with cleaning	05193034
Emergency lowering battery for TR 900 C CW	05192190
Emergency lowering battery for TR 900 A CA CWA	05192191
Risk 5 gantry for TR 900 C, TR 900 CW	05193025

You can also use the TR 9650 which compliments this product.

The TR 9650 mobile patient combilift system provides a safe moving and handling for both patient and caregiver. During the bathing cycle the client never leaves the comfort and security of the chair or stretcher.



TR Comfortline/Spaceline

Height adjustable bathtub

TR Comfortline - Height adjustable bathtub

The TR Comfortline is a free-standing, height-adjustable bathtub designed to provide a satisfying and relaxed bathing experience. It features a range of sensory options, including an LED lighting system, a music sound wave system with four speakers (AUX and Bluetooth), and a 12-jet Air-spa system.

The free-standing design allows for easy access from all sides, and with simple installation, the Comfortline can be positioned in almost any bathroom. It ensures an ergonomic working environment for staff while offering a relaxing bathing experience for patients.

Included with the bathtub are a thermostatic mixer, foot support, two grab handles, hand control, overflow control, pop-up drainage, reinforced hoses for water installation, and stainless steel feet.

Standard bathtub color: white.

Specifications:

Length: 2 080 mm

Width: 780 mm

Max patient weight: 150 kg

Typical lift speed, no load: 8 mm/s

Operating height range: 650 - 1000 mm

Power supply: 230 V, 50 Hz

Overall weight (empty): 105 kg



Product description TR Comfortline models	Part Number
Height adjustable bathtub, 40 mm drain. 230 V	05194000
Height adjustable bathtub, 50 mm drain. 230 V	05194002
Height adjustable bathtub, 50 mm drain. 230 V. / without thermostatic mixer	05194005
Height adjustable bathtub, long hoses + elec. cable for reverse installation, 50 mm drain. 230 V	05194008
Height adjustable bathtub, 40 mm drain. UK version with TMV3 mixer	05194041
Height adjustable bathtub, 40 mm drain. UK version with TMV2 mixer	05194043
Options	Part Number
Cleaning/disinfection system	05195000
Autofill with 2 different pre-set levels	05195015
Emergency lowering battery for Comfortline	05195100
Touch panel + hand control UP/DOWN for Comfortline	05195070
Touch panel UP/DOWN for ComfortLine	05195071
Transport wheel beam and ramp for Comfortline	05195099

You can also use the TR 9650 which compliments this product.


The TR 9650 mobile patient combilift system provides a safe moving and handling for both patient and caregiver. During the bathing cycle the client never leaves the comfort and security of the chair or stretcher.



Wellness options:	Part Number
Air Spa system with twelve integrated jets stimulate blood circulation and a calming environment for relaxation.	05195025
LED color light system with light that changes the water into different colors.	05195035
Music sound wave system with four speakers AUX and bluetooth.	05195045
Head pillow	851878
Color options (any RAL color available) (factory mounted)	Part Number
Surcharge for customised color, only sidecover outside the bath	05195051
Surcharge for customised color complete (bathtub + sidecover)	05195050
Thermostatic mixer options (factory mounted)	Part Number
Surcharge for FMM antibactus mixer (legionella)	05195080



LED Color Light System



Head pillow



Comfortline with reverse inst.



Antibactus mixer (Legionella)



Comfortline with color option



Transport wheel beam

Stretcher available for Comfortline	Part Number
TR dressing and shower stretcher	05184000
Right rail to TR stretcher (direction looking at mixer)	05184001
Left rail to TR stretcher (direction looking at mixer)	05184002
Complete strecher with 2 safety rails	05184003



Over bath stretcher



Stretcher on top of bath

TR 1700

Height adjustable bathtub

TR 1700 - space saving bathtub

The TR 1700 is designed to optimise smaller spaces without compromising functionality and efficiency. This height-adjustable bathtub is made from white fiberglass and features electric height adjustment with hand control.

It comes with a 900 mm drainage hose, a 40 mm flexible drainage hose, a thermostatic mixer for both showering and filling the bathtub, and a patient shower with hose and shower handle.



Specifications:

Length:	1 685 mm
Width:	695 mm
Height:	660 - 960 mm
Typical lift speed, no load:	16 mm/s
Max patient weight:	150 kg
Power supply:	230 V, 50 Hz
Overall weight (empty):	70 kg

Product description TR 1700 models		Part Number
TR 1700	Height adjustable Bathtub without thermostatic mixer	05191700
TR 1700	Height adjustable Bathtub with thermostatic mixer and shower	05191701
TR 1700	Height adjustable Bathtub with thermostatic mixer and shower UK - TMV3	05191702
TR 1700	Height adjustable Bathtub with thermostatic mixer and shower UK - TMV2	05191703

Options (factory mounted)	Part Number
Drainage 50 mm instead of 40 mm as standard. Surcharge to standard bath.	0514044
Color options for feet and skirt (factory mounted)	Part Number
Surcharge for colored skirt and feet (10 standard colors to choose from)	05191720
Surcharge for colored skirt and feet (any RAL color)	05191721



TR 1700 with color option



Customised TR 1700 on caster

You can also use the TR 9650 which compliments this product.

The TR 9650 mobile patient combilift system provides a safe moving and handling for both patient and caregiver. During the bathing cycle the client never leaves the comfort and security of the chair or stretcher.



TR Ecoline

Fixed height bathtub

TR Ecoline - fixed height bathtub

The TR Ecoline is a free-standing, fixed-height bathtub designed for a satisfying and relaxing bathing experience. Available options include an LED lighting system and an autofill feature.

The bathtub stands 700-850 mm from the floor to the bath rim and comes with four fixed stainless steel feet. It is delivered with a thermostatic mixer, foot support, two grab handles, overflow control, pop-up drainage, and reinforced water hoses for installation.

Standard bathtub color: white.



Specifications:

Length 2 080 mm


Width 780 mm

Max patient weight: 150 kg


Height 700-850 mm

Overall weight (empty): 100 kg

Product description TR EcoLine models	Part Number
EcoLine fixed height bathtub 700 mm (from floor to bath rim)	05194030
EcoLine fixed height bathtub 750 mm (from floor to bath rim)	05194031
EcoLine fixed height bathtub 800 mm (from floor to bath rim)	05194032
EcoLine fixed height bathtub 850 mm (from floor to bath rim)	05194033
Wellness options:	Part Number
Head pillow	851878
Autofill EcoLine, with two different pre-set levels	05195115
LED Light Colour System for EcoLine	05195135
Color options (any RAL color available) (factory mounted)	Part Number
Surcharge for customised color, only sidecover outside the bath	05195051
Surcharge for customised color complete (bathtub + sidecover)	05195050
Thermostatic mixer options (factory mounted)	Part Number
Surcharge for FMM Antibactus mixer (legionella)	05195080



LED color light system



Head pillow

You can also use the TR 9650 which compliments this product.

The TR 9650 mobile patient combilift system provides a safe moving and handling for both patient and caregiver. During the bathing cycle the client never leaves the comfort and security of the chair or stretcher.



TR Swing

Reclining Bathtub

TR Swing - Reclining bath with side access

The Swing is a free-standing, reclining bathtub designed to provide a satisfying and relaxing bathing experience. The TR Swing can be equipped with various wellness options, such as an LED lighting system and an Air Spa system.

The TR Swing offers easy side access and can be used with or without height adjustment. It ensures an ergonomic working environment for staff while providing a comfortable bathing experience for users.

The bathtub comes with a thermostatic mixer, an interior grab handle, pop-up drainage, a head pillow, and control buttons for height adjustment and tilt.



Specifications:

Length:	2 040 mm
Width:	800 mm
Access height:	570 mm
Max. patient weight:	200 kg
Power Supply:	230 V / 50Hz, 10 A
Overall weight (empty):	140 Kg

Product description TR Swing	Part Number
TR Swing reclining bath	05100000
TR Swing reclining bath and height adjustable	05100002
Wellness options (factory mounted)	Part Number
Air spa system with heater and 12 nozzles	05100020
LED light system option	05100040
Music system option	05100050
Options:	
Autofill system	05100010
Disinfection system option	05100030

TR 9650

Mobile bath lift system

TR 9650 - Mobile bath lift

The mobile bath lift features a built-in, battery-operated foot height adjustment, enhancing convenience and ease of use.

It is available in three configurations: Chair Lift, Stretcher Lift, and Combi Lift. Each model comes with a battery charger for reliable operation.

These lifts are designed to provide flexibility and comfort during bath transfers, catering to various needs and preferences. The Chair Lift is ideal for seated transfers, the Stretcher Lift is suited for lying-down transfers, and the Combi Lift offers the versatility to handle both configurations.

Please select the appropriate mains charger plug based on the country's plug requirements to ensure compatibility and optimal performance.



Specifications:

Operating Height: 200 - 965 mm

Max patient weight: 150 kg

Structure: Powder coated, zinc plated steel and stainless steel

Castors: Twin Ø100 mm (4") castors, two with brakes and two with straight steering

Control: Battery operated foot height adjustment

Battery: Rechargeable, 24 V

Product description TR 9650	Part Number
Chair Lift including battery charger	0542000
Stretcher lift including battery charger also including side parts (0542030)	0542010
Combi Lift chair with battery charger	0542020
Two stretcher side parts for Combilift including a pillow and a safety belt	0542030

Specify mains connection plug for battery charger on your order for TR 9650

- EURO plug type C: part# 819140
- UK plug type G part# 819142
- US plug type A part# 819141

Options and accessories	Part Number
Spacer kit. raises the trolley height 52 mm. (factory mounted)	0542032
Extension for lift base to increase the distance (60 mm) between lift column and chair/stretcher to suit different kind of baths	0541240
Extension for lift base to increase the distance (80 mm) between lift column and chair/stretcher to suit different kind of baths	0541241
Bed pan holder for TR 9650. To be used with the bed pan for TR 1000 part#850169	850170
Bedpan (plastic) including lid	850169
Spacer kit. raises the trolley height 52 mm. (factory mounted)	0542032

You can also use the TR 9650 together with the TR bath tubs.

The Mobile Bath Lift System completes a system that offers a safe, labour efficient, person oriented bathing cycle with increased care quality.



Bathtub Dimension Matrix

Choose the right equipment to enhance your staff's working environment, prevent back injuries, boost productivity, and ultimately save costs



Model	Type	Max patient weight (Kg)	Height range (mm)	External length x width (mm)	Water volume w/o patient (L)	Net weight (Kg)
TR 1700	Height adjustable dual actuators	150	660 - 960	1 685 x 695	160	70
TR Comfortline	Height adjustable dual actuators	150	650 - 1000	2 080 x 780	180	100
TR 900 / TR900 SS	Height adjustable supine	150	610 - 940	2 325 x 830	320	265
TR Ecoline	Fixed height	150	700 - 850	2 080 x 780	180	100
TR SWING	Reclining	200	1250	2040 x 800	200	140
TR SWING	Height adjustable reclining	200	1200 - 1300	2040 x 800	200	140