
SOLO
GYMFIT
HFS
GROUP
Rte de Taillepied 44 1095 Lutry Tél : (021) 903 57 67 www.healthsport.ch
direction@healthsport.ch

SOLO. FORGED IN SILENCE.
FOR THE INVINCIBLES.

SOLO was not born from noise or applause. It was born from silence, from that moment when everything collapses, when the paths fade, the voices drift away, and only oneself remains before the void.

It was born from losing everything, and still choosing to remain. From understanding that true strength does not come from outside, but from the quiet act of rising when no one is left to see you.

It emerges from that stillness where bare will is found, where body and soul learn to endure without witnesses.

Because training is not only about moving weight; it is about carrying what hurts. It is about continuing, even when there are no promises, no certainties, no applause. There, in the purest solitude, is where the unbreakable is forged.

SOLO is that point between the fall and the rebirth. It is not a brand; it is a reminder: that even in absence, in silence, and in darkness, the fire still burns. It is the answer of the one who never gives up, who rebuilds their own name through discipline, constancy, and purpose.

It represents the calm of the warrior after the storm. The place where pain becomes power, and solitude becomes strength.

SOLO is what remains when everything else disappears: the will to become again, over and over.


SOLO
GYMFIT

ABOUT SOLO

SOLO GYMFIT is a Spanish brand specialized in the development of technical surfaces for professional training.

Each product is born from a conviction: what supports effort must be prepared to endure it. That is why we design systems built to last, manufactured in Spain and developed with true industrial criteria.

SOLO does not see the floor as an accessory. It sees it as a foundation.
Our products are forged to remain. To absorb impact. To sustain repetition. To support those who fall and rise again.

Because training is not only physical strength.
It is inner fire.

SOLO represents that unbreakable character.
Those who do not stop.
Those who endure.
The invincibles.

SOLO GYMFIT.
The ground of the invincibles.


SOLO
GYMFIT

SOLO COLLECTION

We don’t manufacture products. We forge witnesses of effort.

Every **SOLO** creation is born from the same principle: to endure. They are not made to decorate, but to stand beside those who train when no one is watching, those who understand that the real battle is not in the body, but in the will.

Our products do not promise comfort; they promise permanence. They are the foundation upon which discipline is built, the place where sweat becomes determination and silence becomes purpose.

Made in Spain, with materials that withstand the passage of time and the weight of days, each one embodies a simple and brutal idea: to endure. To endure the hit, the exhaustion, the fall. To endure when everything else gives in.

Because at **SOLO**, we don’t seek to make the surroundings shine, we seek to make effort last. Every texture, every line, every logo carries the imprint of those who refuse to give up.

SOLO doesn’t build for everyone. It builds for those who train even when everything hurts. And when everything breaks, **SOLO** remains.


SOLO
SOLO
SOLO
SOLO
SOLO
SOLO

SOLO COLLECTION

TURF
Born to endure

EIDOS
The shape of silence

DESMOS
The silent strength

RUBBER
Forged to withstand the extreme

NEXXUS
The invincible structure

KAIROS
The moment of Mastery

POSEIDON
The floor that commands the water

RITUAL
The temple of control

MATS
Made to last

ALTAR
The ritual of effort

FORGE MATS
For the invincibles

ACCESORIES
The detail that remains


SOLO
GYMFIT

TURF

SOLO TURF I Born to endure

It wasn’t made to decorate, but to endure.

The **SOLO** turf was not designed to be green, it was designed to be eternal. It is the ground where speed is measured in will, where every drag, every sprint, and every battle leaves a mark that doesn’t fade, it is remembered.

Forged to withstand friction, sweat, and persistence, this turf is not decoration, it is a silent battlefield. Where the body burns and the mind hesitates, its firm, rough texture responds with the calm of those who know that only those who persevere reach the end.

On it, the mind is trained before the muscle. Because every meter covered doesn’t measure distance, it measures courage. And every return to the starting line is a declaration: I’m still here.

The **SOLO** turf doesn’t wear out, it hardens. It is the symbol of progress, of constant movement, of those who never surrender, even when there is no crowd, no finish line, and no promise.

Beneath the feet of those who fight, **SOLO** always grows back.


SOLO
GYMFIT
SOLO

SOLO TURF I Specs

ESPESOR / THICKNESS	16 MM
PUNTADAS M2 / STITCHES M2	+-81.000
PESO / WEIGHT	2,750 G/M2
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EN 13501 Cfl-s1 NON FLAMMABLE
ANTIBACTERIAS / ANTIBACTERIAL	ASTM G21:2013 BACTERIA FREE
NO TÓXICO / NON TOXIC	EN71-3 NO TÓXICO / NON TOXIC
RESISTENCIA UV / UV RESISTANCE	UNE EN20105-A02 Grade >3
PERMEABILIDAD / PERMEABILITY	UNE EN12616:2014 32,5L/MIN/M2
USO / USE	INDOOR + OUTDOOR

SOLO TURF I Colours



WHITE | RED | SAND | GREEN | BRICK | BLUE | BLACK

SOLO TURF I Customization

Not everyone trains on the same ground, nor does everyone follow the same line. There are those who don't seek to fit in, they build their own battlefield.

That's why, at **SOLO**, every surface is born to the measure of the invincible who stands on it.

Choose from our colors:
BLACK, GREEN, GRAY, BLUE, RED, BRICK or WHITE, and combine them however you want, with no limits, no extra cost, no permission. Because strength is also expressed in the details. Your ground can be fire or calm, night or steel, silence or roar. Every combination tells a story, and only you decide which one.

Do you want your logo engraved? Marks, lines, or symbols that represent you? Just send us your design, and we'll make it real, with the precision of those who never improvise, and the respect of those who know that every line carries meaning.

And if the limit is in the dimensions, we break it. One meter or two, four or twenty, we craft your ground to measure, because each person's battle takes its own space.

At **SOLO**, we don't impose sizes or colors, we adapt them to the character of the one who trains, to the purpose of the one who endures. Because being invincible is not about repeating what already exists, it's about making it yours. And if you can imagine it, **SOLO** creates it. In your form. In your scale. In your silence.




STANDARD 01




STANDARD 02




SPECIAL




ORIGIN




FORGE



LEGACY



LINE UP




BASIC




SPRINT




CUSTOMIZED




SUPERIOR



SOLO 001
SOLO 002
SOLO 003




SOLO 004




SOLO 005



SOLO 006


H2
H4
H8



H2
BASIC

H2
BASIC
+LOGO

H2
PRO

H2
PRO
+ LOGO

H2
COMPETICIÓN

H2
COMPETICIÓN
+ LOGO

EIDOS

SOLO **EIDOS I** The shape of silence

Some surfaces simply serve a function.
Others define a space.

SOLO EIDOS was created from the idea of bringing together two worlds that rarely coexist:
the engineering of compact virgin rubber and the aesthetics of architectural materials.
Deep woods.
Natural stones.
Elegant marbles.

At first glance, it appears to be noble material.
Step on it, and it reveals its true nature.
A technical surface designed for spaces where training coexists with balance, precision, and calm.


Because not every form of training needs noise.
Some need silence.


SOLO
GYMFIT

SOLO EIDOS I Specs

ESPESOR / THICKNESS	7 MM
INSTALACIÓN / INSTALLATION	PUZZLE INTERLOCKING
PESO / WEIGHT	10,5 KGS/M2
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EN 13501 Cfl-s2 NON FLAMMABLE
ANTIBACTERIAS / ANTIBACTERIAL	ASTM G21:2013 BACTERIA FREE
NO TÓXICO / NON TOXIC	EN71-3 NO TÓXICO / NON TOXIC
RESISTENCIA AL AGUA / WATERPROOF	ASTM D570 0% WATERPROOF
DIMENSIONES / DIMMENSIONS	80x80 CMS
USO / USE	INDOOR + OUTDOOR (Glued)

SOLO **EIDOS I** Colours



STELLUM STEEL RISE SHELTER HONOR EMBER

SOLO **EIDOS I** Virgin compact rubber

SOLO EIDOS is manufactured from compact virgin rubber, a technical material designed to withstand intensive use while maintaining stability, hygiene, and presence for years.

Unlike other materials:
It does not absorb water.
It does not retain dirt.
It does not degrade over time.

It also provides:
• anti-slip surface
• impact absorption
• acoustic insulation
• stability under load
• simple and hygienic cleaning

A surface designed to endure.
And to remain impeccable.


SOLO
GYMFIT

SOLO **EIDOS I** The appearance of materials.

The most distinctive feature of SOLO EIDOS is its ability to transform a space.
Its finishes faithfully reproduce the aesthetics of natural woods, stones, and marbles, integrating seamlessly with the architecture of the environment.
Visually warm.
Technically indestructible.

That is why SOLO EIDOS finds its place in spaces where training meets design:
• pilates studios
• yoga rooms
• wellness centers
• boutique gyms
• mobility and recovery areas

Because the environment also shapes discipline.
And when the space transmits calm,
the body responds with control.


SOLO
GYMFIT


DESMOS

SOLO **DESMOS** I The silent strength

Not everything that supports needs to be visible.

SOLO DESMOS is born from a simple idea: to create a continuous surface without relying on adhesives, without interruptions, without compromise.
Each piece finds its place. And when it does… it disappears.


What remains is one single thing: a firm, silent, unified ground.


SOLO
GYMFIT

SOLO DESMOS I Specs

ESPESOR / THICKNESS	TOP LAYER 2.5 MM / SUBLAYER 17.5 MM
INSTALACIÓN / INSTALLATION	CONNECTORS
PESO / WEIGHT	18,0 KGS/M2
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EN 13501 Efl
INSONORIZACIÓN / SOUND INSULATION	21 dB
ABSORCIÓN IMPACTOS / SHOCK ABSORPTION	EN14808 61%
HIC TEST	EN1177 1.5 m at 50 MM THICKNESS
DIMENSIONES / DIMMENSIONS	100X100 CMS
USO / USE	INDOOR + OUTDOOR (Glued)

SOLO DESMOS I Colours



SOLO **DESMOS** I The system that connects

SOLO DESMOS is not fixed.
It connects.

A connection system using high-precision connectors, distributed every 20 centimetres, transforms individual pieces into one stable structure.
No glue. No waiting time. No complexity.
Once connected… it does not move.
The surface is not accidental.
It is designed.

The top layer is composed of:
85% high-density SBR
15% coloured EPDM
The result is a compact surface, highly resistant to wear and easy to clean, with a technical aesthetic integrated into the material itself.
Beneath, a high-density recycled rubber base absorbs impact and protects the structure.
The entire system is vulcanised in a single process.

One piece. One logic.


SOLO
GYMFIT

RUBBER


SOLO **RUBBER** I Forged to withstand the extreme

There are surfaces that are seen.
And there are surfaces that hold everything that happens above them.

SOLO RUBBER belongs to the latter.
It is born for spaces where training is real, constant, repeated.
Where impact is not the exception, but the rule.

It does not seek attention.
It seeks to endure.

Because before performance,
before design,
before identity…
there is the foundation.


SOLO
GYMFIT

SOLO RUBBER I Specs

ESPESOR / THICKNESS	10 MM / 15 MM / 20 MM / 30 MM / 40 MM
INSTALACIÓN / INSTALLATION	TILES 4 SIDES STRAIGHT
PESO / WEIGHT	10 / 15 / 20 / 30 / 40 KGS/M2
RESISTENCIA AL FUEGO / FIRE RESISTANCE	DIN 4102B2
INSONORIZACIÓN / SOUND INSULATION	IEN12354 >15dB
ABSORCIÓN IMPACTOS / SHOCK ABSORPTION	EN14808 61%
HIC TEST	EN1177 1.5 m at 50 MM THICKNESS
DIMENSIONES / DIMMENSIONS	100X100 CMS
USO / USE	INDOOR + OUTDOOR (Glued)

SOLO RUBBER I Colours



BLACK



GREY

SOLO RUBBER

BASE — 10 mm
The beginning.
Transit areas, light functional zones.

PULSE — 15 mm
More absorption.
Dynamic training, circuits, functional cardio.

CORE — 20 mm
The balance.
General strength, moderate free weights.

ANCHOR — 30 mm
Where weight becomes serious.
High-load zones, racks, weightlifting.

BEDROCK — 40 mm
The final layer.
Extreme impact. Drops. Absolute power.
Nothing below.


SOLO
GYMFIT

NEXXUS

SOLO **NEXXUS I** The invincible structure

SOLO NEXXUS is the union of two materials that respect their nature.
SOLO RUBBER as the foundation + SOLO EIDOS as the precision surface.

Two materials. Two different behaviors. One single structure.
They are not glued together. They are designed to coexist.

Because when two materials are forced to behave the same way, one of them loses its essence.
Rubber absorbs, compresses, breathes. EIDOS stabilizes, guides, responds.
When bonded, they restrict each other. When respected, they enhance one another.

SOLO NEXXUS is not a glued slab. It is a floating dual-layer system. Each layer fulfills its function.
No interference. No internal tension. No unnecessary added cost.

Honest engineering.


SOLO
GYMFIT

SOLO NEXXUS

ARES — 17 mm
Where strength is born

THOR — 22 mm
Balance between power and control

PRIME — 27 mm
Absolute balance

COLOSSUS — 37 mm
To withstand the extraordinary

TITAN — 47 mm
Structural protection


SOLO
GYMFIT

KAIROS

SOLO **KAIROS I** The moment of Mastery

Not every movement requires weight.
But every movement requires control.

SOLO KAIROS is created for the moment when the body works with its own intelligence.

Pilates studios.
Yoga.
Mobility.
Light functional training.
Spaces where the goal is not to lift more…
but to move better.

Neither too hard. Neither too soft.
KAIROS offers the exact balance between stability and comfort, so every step feels secure and every movement flows naturally.

Balance. Breath. Precision.
Because when the body seeks control, the floor must not interfere.
It must accompany.

The right floor for conscious movement.


SOLO
GYMFIT

SOLO KAIROS I Specs

ESPESOR / THICKNESS	6 MM
INSTALACIÓN / INSTALLATION	PEEL & STICK (SELF ADHESIVE)
PESO / WEIGHT	2,40 KGS/M2
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EN 13501 Efl NON FLAMMABLE
ANTIBACTERIAS / BACTERIAL FREE	ASTM G21:2013 BACTERIA FREE
NO TÓXICO / NON TOXIC	EN71-3 NO TÓXICO / NON TOXIC
WATERPROOF	ASTM D570 0% WATERPROOF
DIMENSIONES / DIMMENSIONS	50x50 CMS
USO / USE	INDOOR + OUTDOOR


SOLO
GYMFIT

POSEIDON

SOLO **POSEIDON** I The floor that commands the water

Water is not controlled by force.
It is controlled by respect.

Where others slip, POSEIDON stands firm.
Where humidity weakens, POSEIDON holds.

Pools. Locker rooms. Showers. Spaces where the floor cannot fail.
SOLO POSEIDON is born to govern the most unstable environment.

Constant grip. Intelligent drainage. Absolute resistance. Silence underfoot. Uncompromising safety.

Here, water does not impose its law.
It obeys it.

SOLO POSEIDON does not accompany the space.
It commands it.


SOLO
GYMFIT

SOLO POSEIDON I Specs

ESPESOR / THICKNESS	6 MM
INSTALACIÓN / INSTALLATION	PEEL & STICK (SELF ADHESIVE)
PESO / WEIGHT	2,40 KGS/M2
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EN 13501 Efl NON FLAMMABLE
ANTIBACTERIAS / BACTERIAL FREE	ASTM G21:2013 BACTERIA FREE
NO TÓXICO / NON TOXIC	EN71-3 NO TÓXICO / NON TOXIC
WATERPROOF	ASTM D570 0% WATERPROOF
DIMENSIONES / DIMMENSIONS	50x50 CMS
USO / USE	INDOOR + OUTDOOR
ANTIDESLIZAMIENTO / NON SLIP	CERTIFIED


SOLO
GYMFIT

SOLO **POSEIDON** I MONOLITH

MONOLITH

Pure surface. Absolute presence.

POSEIDON MONOLITH is the purest expression of the system. A single-colour, integral slab. Continuous. Silent. Free from visual interruption.

Its strength lies precisely in what it removes: distraction, noise, excess. Absolute minimalism. Architectural sobriety. Total integration within premium projects. The surface becomes part of the architecture. It does not compete with the space. It supports it.

Ideal for:
• high-end spas and wellness centres
• premium resorts and hotels
• locker rooms and wet areas with contemporary architecture
• projects where visual calm is part of the experience

MONOLITH does not need to stand out.
Its authority is silent.
A surface designed for spaces where design is expressed with precision.


SOLO
GYMFIT
SOLO
POSEIDON

SOLO POSEIDON I DUAL

DUAL

The surface that reveals identity.

POSEIDON DUAL introduces a second dimension to the system. A two-layer, bi-colour structure designed to be milled, revealing the lower colour with millimetric precision.

The design is not added. It is revealed. This system allows the direct integration into the surface of:
• logos
• traffic lines
• zone delimitation
• corporate identity
Everything becomes part of the material itself. Information and design become architecture of the floor.

DUAL is especially powerful for:
• large-scale resorts and hotels
• premium wellness centres
• spas and thermal circuits
• public swimming pools requiring regulatory signage
• sports facilities with corporate identity

The floor stops being just a surface. t becomes a communication system for the space.


SOLO
GYMFIT

RITUAL

SOLO RITUAL I The temple of control

Where the body bows before discipline.

It is not just a tatami.
It is the ground where every fall becomes a lesson, and every silence, a form of respect.

RITUAL is born for those who understand that combat is not violence, but mastery.
Made of high-density EVA foam, firm and contained, it absorbs impact without losing its essence: the balance between control and strength.

Every training session here is a ceremony.
Every movement, an offering to perseverance.

Because victory is not shouted:
it is honored, in silence.


SOLO
SOLO
GYMFIT

SOLO RITUAL I Specs

ESPESOR / THICKNESS	20 / 40 MM
INSTALACIÓN / INSTALLATION	PUZZLE INTERLOCKING
PESO / WEIGHT	6 / 12 KGS/M2
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EfI
ANTIBACTERIAS / BACTERIAL FREE	ASTM G21:2013 BACTERIA FREE
NO TÓXICO / NON TOXIC	EN71-3 NO TÓXICO / NON TOXIC
WATERPROOF	ASTM D570 0% WATERPROOF
DIMENSIONES / DIMMENSIONS	100X100 CMS 4 SIDES PUZZLE
USO / USE	INDOOR


SOLO
GYMFIT

MATS

SOLO **MATS I** Made to last

Forged in silence, designed to endure.

SOLO mats are not an accessory, they are a symbol. Each one embodies the essence of solitary effort: that moment when the body trembles, the sweat burns, and the mind chooses not to give up.

Crafted from high-density materials, built to bear the weight of those who rise again and again, their surfaces absorb both the impact of training and the echo of determination. Their firm texture, sober finish, and relentless design serve as a reminder, it's not about comfort, it's about conviction.

SOLO doesn't seek to decorate gyms. It stands beside those who understand that true strength is not measured in repetitions, but in resilience.

Each mat bears witness to falls, rebirths, and personal victories.

Made to last. Made to endure. Made for those who train even when no one is watching. Because when everything else breaks, **SOLO** remains.


SOLO
GYMFIT
SOLO
GYMFIT

SOLO MATS I Specs

ESPESOR / THICKNESS	10 MM
MATERIAL	HIGH DENSITY EVA
PESO / WEIGHT	1.010 KGS
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EfI
ANTIBACTERIAS / BACTERIAL FREE	ASTM G21:2013 BACTERIA FREE
NO TÓXICO / NON TOXIC	EN71-3 NO TÓXICO / NON TOXIC
WATERPROOF	ASTM D570 0% WATERPROOF
DIMENSIONES / DIMMENSIONS	120x50 CMS

SOLO
GYMFIT





ALTAR

SOLO ALTAR I The ritual of effort

It is not a rack. It is the place where effort finds order.

ALTAR is born from the same philosophy that shapes every SOLO creation: sobriety, balance, and respect for the space of training.

Its matte black structure holds the **EMBER** and **SHADOW** mats as emblems of endurance.

Every line, every angle, answers to one idea, precision without excess.

It was not made to store, but to honor. Because even the rest between repetitions deserves dignity.

SOLO GYMFIT



FORGE

SOLO **FORGE I** Where the invincibles are forged

Every repetition leaves a mark. Every drop of sweat tells a story.
The body grows stronger. The will sharpens.
The mat that supports that process must rise to the same level.

SOLO FORGE MATS is born for those who train without compromise, for those who understand that discipline is built repetition after repetition.
They endure the effort. They withstand time. They accompany every fall and every return.

Because the invincible are not born.
They are forged.



SOLO
GYMFIT

SOLO FORGE I Specs

ESPESOR / THICKNESS	20 MM
MATERIAL	HIGH DENSITY EVA
PESO / WEIGHT	1.010 KGS
RESISTENCIA AL FUEGO / FIRE RESISTANCE	EfI
ANTIBACTERIAS / BACTERIAL FREE	ASTM G21:2013 BACTERIA FREE
NO TÓXICO / NON TOXIC	EN71-3 NO TÓXICO / NON TOXIC
WATERPROOF	ASTM D570 0% WATERPROOF
DIMENSIONES / DIMMENSIONS	140x60 CMS 160x60 CMS




SOLO GYMFIT



SHADOW (Black)

SOLO GYMFIT





STORM (Grey)



EMBER (Orange)

SOLO INVINCIBLES

SOLO is the voice of those who train in the dark, not to be seen, but to survive, to endure, and to begin again.

Because there are those who, after losing everything, choose to go on. They choose to rise, even when it hurts. They choose to train, even when no one is watching. They choose to breathe, even when the air feels heavy. That choice: quiet, daily, unbreakable, is what makes them invincible.

The invincible are not heroes of legend. They seek neither glory nor redemption. They are real people, marked by loss, by emptiness, by life itself. They have learned that when everything collapses, only the body, the mind, and the will remain.

From silence, **SOLO** was born, and from that same silence, this movement arose: an invisible brotherhood of people who train to become again. Who do not compete against others, but against the version of themselves that once gave up.

Different lives, wounded lives. Different paths toward the same truth: that even in solitude, even in ruin, even in the longest night, there are those who keep fighting. Because being invincible does not mean never falling, it means choosing to rise, again and again, even when no one is watching.


SOLO
GYMFIT

SOLO WARRANTY

At SOLO, we don’t speak of perfection. We speak of responsibility.
Every piece that bears our name is born from the same principle: do things right, even when no

one is watching.

If, upon receiving a product, you detect a manufacturing defect, we won’t ask for explanations, only action.
We’ll collect the product and either replace it with a new one or refund your payment.
No conditions, provided the item has not been used.

But the warranty doesn’t end there. If, during legitimate and responsible use of the product, you discover a possible defect, we’ll be there as well. We will review the matter without delay and, if it is a production or material fault, we will respond with the same resolve: repair, replacement, or refund, as appropriate.

Because we understand that natural wear is not a defect, it is a mark of effort, a silent testimony to the days when the body did not yield and the will stood firm. A mat whose logo fades over time is not failing: it speaks of training, constancy, and truth.

At SOLO, we distinguish what breaks from what perseveres. And for that reason, every assessment is an act of respect toward those who train and those who trust.

The invincible do not avoid mistakes. They face them. And SaOt LO, listening, responding, and delivering is also part of the training.

SOLO WARRANTY

We don’t promise that nothing will fail. We promise that, if it does, we’ll be there.
Upon receiving your order (what to do):
Check that the product matches what was ordered (model, color, dimensions, quantity). Inspect its condition: it should arrive intact and free of manufacturing defects.

If you detect any issue before using the product, email us at info@sologymfit.com with:
Invoice number, Purchase/receipt date, Reason for the issue, Photos (if possible) to help identify the problem

Our Invincible Support Team will review it and provide a solution: collection and replacement with a new unit or refund.

At SOLO, respect begins by listening and responding.

HFS GROUP

À VOTRE SERVICE DEPUIS 1975

Rte de Taillepied 44 1095 Lutry, Tél : (021) 903 57 67 www.healthsport.ch - direction@healthsport.ch