

HEALTH FIT & SPORT

A VOTRE SERVICE DEPUIS 1995

CATALOGUE 2025

CARDIO ET FITNESS

Tapis de course, vélos et rameurs.

Renforcement musculaire et Pilates.

Route de Taillepied 44
1095 Lutry, Suisse

direction@healthsport.ch

+41 21 903 57 67
healthsport.ch

TREADMILLS

JKexer 655 ---------- P7
JKexer 337 ---------- P8
JKexer 330 ---------- P9
JKexer 897 ---------- P10
JKexer 395 ---------- P11
JKexer 875 ---------- P12
JKexer 823 ---------- P13
JKexer 717 ---------- P14
JKexer 920 ---------- P15
JKexer 652 ---------- P16
JKexer 845 ---------- P17
JKexer 723 ---------- P18
JKexer 693 ---------- P19



JKEXER

655

Taiwan Excellence Award,
Where Workouts Go Beyond Your Expectations

- **Walking, running, and climbing** 3-in-1 workout with instant mode switching.
- **40-level high incline** for enhanced workout intensity**.**
- **Brake Board System** and the cooldown button for safety on high inclines.







- Exclusive E.M.T.A.I. training modes integrated with the **HRR** algorithm.
- **Patented Switch Pro** design for fast leveling and effortless movement.

TAIWAN EXCELLENCE

MOTOR	SPEED KPH	40 Levels				
AC	0.8~16 KPH 0.8~6 KPH	0-15 Levels 15-40 Levels	510 x 1320 mm	FTMS	MAX KG	
2.0 HP Continuous					136 Kg	

JKEXER 337

- **Walking, running, and climbing** 3-in-1 workout with instant mode switching.
- **40-level high incline** for enhanced workout intensity**.**
- Exclusive **E.M.T.A.I.** training modes integrated with the **HRR** algorithm.

Taiwan Excellence Award
Makes Hiking at Home Possible








- Large **Multi-task Wooden Table**
- **Patented Switch Pro** design for fast leveling and effortless movement.

TAIWAN EXCELLENCE

MOTOR	SPEED KPH	40 Levels		MAX KG
DC	0.8~12 KPH 0.8~6 KPH	0-15 Levels 15-40 Levels	510 x 1320 mm	FTMS	136 Kg
2.7 HP Duty					

JKEXER 330

AeroHike 3 in 1 High-Incline Treadmill Brings you the Quality that meets Affordability



- **Walking, running, and climbing** 3-in-1 workout with instant mode switching.
- **40-level high incline** for enhanced workout intensity**.**
- **Brake Board system** to enhance safety in high incline
- **Affordable** high-incline treadmill for home use
- **Adjustable Console Angle** provides perfect viewing angle







- **Water bottle holder**

MOTOR DC
2.5 HP Duty

SPEED KPH
0.8~12 KPH
0.8~6 KPH

40 Levels
0-15 Levels
15-40 Levels

510 x 1220 mm

FTMS

MAX KG
120 Kg

JKEXER 897

Taiwan Excellence Award
Innovative combination of professional treadmill and workstation

- **Dual-console display** dedicated to running and walking modes respectively





- Patented **FlipTop design** for instant mode switching



- **1-minute Tool-Free assembly structure**
- **Patented ASA Shock-absorbing** suspension system to ruduce 30% impact.
- **Patented Switch Pro** design for fast leveling and effortless movement.



- **4-way adjustable desktop**

MOTOR	SPEED KPH	12 %				
DC	0.8~18 KPH 0.8~6 KPH	12 % 0 %	510 x 1400 mm	FTMS	MAX KG	140 Kg
3.0 HP Duty						

JKEXER 395

GymTread Completes Your Workout of Cardio & Strength Training





- **Unique console** with multi-function tracking on both **running and strength training metrix**.



- **Patented 8-Level Resistance System:** offers adjustable workout intensity.
- **Compact and foldable design** for space-efficient, and easy movement.
- **Strength Training** Integration for total body workout

MOTOR DC	SPEED KPH	12 %			MAX KG	
2.7 HP Duty	0.8~16 KPH	12 %	460 x 1320 mm	FTMS	136 Kg	

JKEXER 875

- Includes **USB charger, speaker, earphone jack, tablet rack** for entertainment while workout
- Integrated **Bluetooth connection** for a more enjoyable workout.
- **Patented ASA Shock-absorbing** suspension system to ruduce 30% impact.
- **4 transport wheels** for easy storage.

Slim, Modern Design Brings You More Enjoyable Workout.







MOTOR DC	SPEED KPH	12 %			MAX KG
3.0 HP Duty	0.8~18 KPH	12 %	510 x 1420 mm	FTMS	140 Kg

JKEXER 823

NO FRILLS!
Engineered for Peak Performance.



- Simple and clear console with **easy-access quick buttons**



- **Patented ASA Shock-absorbing** suspension system to ruduce 30% impact.



- Easy storage, **4-wheel transport** for labor saving movement

MOTOR	SPEED	12 %		MAX
DC	KPH			KG
2.7 HP Duty	0.8~18 KPH	12 %	510 x 1400 mm	136 Kg

JKEXER 717

- **Bluetooth connectivity** to synchronize with fitness apps to track your workout progress.
- **Flat Folding:** Space-saving design for easy, compact storage in your home.
- **Adjustable Console Angle** provides perfect viewing angle for a focused workout.





- **1-minute Tool-Free assembly** structure designed to minimize both service time and assembly errors.

Perfect for E-commerce. Minimize your service time and assembly errors



MOTOR DC	SPEED KPH	12 %			MAX KG
2.5 HP Duty	0.8~16 KPH	12 %	430 x 1270 mm	FTMS	120 Kg

JKEXER 920

Futuristic Design.
Elite Performance.

- Powerful commercial-grade **AC motor with 4.0** Continuous horsepower.
- **Large running surface** 620 x 1650 mm.
- Easy-to-read **LED console** with **shuttle knob** for quick speed and incline adjustment.
- **Wireless charger** to keep your mobile device charged while workout.









MOTOR AC	SPEED KPH	20 Levels		MAX KG	
4.0 HP Continuous	1~25 KPH	0~20 Levels	620 x 1650 mm	FTMS	180 Kg

JKEXER 652

Your Ultimate Runner's dreams fulfilled.

- Easy-to-read **LED console** with **shuttle knob** for quick speed and incline adjustment.
- Powerful semi-commercial grade **AC motor with 2.0** continuous horsepower.
- **Spacious** 580 x 1500 mm running surface
- **Spacious accessory tray** and **dial knobs** for quick speed & incline adjustment



MOTOR AC	SPEED KPH	20 Levels		MAX KG	
2.0 HP Continuous	1~24 KPH	0~20 Levels	580 x 1500 mm	FTMS	150 Kg

JKEXER 845

Full-Range Incline & Decline Treadmill

- **Quiet brushless motor** with 1.75 continuous horsepower.
- Simple console interface with **shuttle knob** for quick and easy operation.
- **15 % incline to -6 % decline** design mimicking outdoor conditions.
- **Bluetooth Speaker** for a more enjoyable workout.





MOTOR DC	SPEED KPH	15 %		MAX KG	
BLDC 1.75 HP Continuous	1~18.8 KPH	-6 %~15 %	520 x 1350 mm	Kinomap/ ZWIFT	150 Kg

JKEXER 723

The Future of Running Starts Here.

- **DC 1.25 continuous horse power**
- **Built-in 40 workout programs** to meet various training needs.
- **1-minute Tool-Free assembly** structure designed to minimize both service time and assembly errors.



- Full **flat-folding** structure for space saving.





MOTOR	SPEED	15 Levels			MAX
DC	KPH				KG
1.25 HP Continuous	1~16 KPH	0~15 Levels	450 x 1350 mm	FTMS	120 Kg

JKEXER 693

High-end Pad Treadmill
Crafted for Those Who Demand the Best.

- **Remote Control to** adjust speed and settings effortlessly
- Supporting both **casual walkers with step count and avid runners with dual matrix**
- **Device holder and app support** keep you engaged and motivated.
- Equipped with **preset programs** for pad treadmill







- **Tool-Free Flat-Folding** seamlessly switch between walking and running modes



MOTOR	SPEED KPH	Levels			MAX KG
DC					
1.0 HP Continuous	0.5~6 KPH 0.5~12 KPH	N/A	420 x 1030 mm	FTMS	100 Kg

RACING BIKES

JKexer 3939 ---------- P21
JKexer 3956 ---------- P22
JKexer 3929 ---------- P23
JKexer 2960 ---------- P24
JKexer 2950 ---------- P25



JKEXER 3939

30kg CNC wheel Indooor Cycling Bike Built for Performance

- New **stylish multi-purpose handlebar** to match your riding habit
- Commercial grade **30 kg 450mm dia. CNC** steel flywheel
- **Quiet belt drive, fix-wheel system** satisfying the pleasure of riding
- **Strong 5-arm steel crank** with 20 mm dia. cro-moly axle & commercial grade sealed bearings**.**
- Elegant and practical **sweat fender** design











30 Kg
CNC Steel



Manual
Felt Friction



5-arm
Steel Crank



Belt Drive



FTMS



150 kg

JKEXER 3956

New Designed Multi-grip Handlebars
Adapt to Your Riding Style

- New **stylish handlebar** with tablet and water bottle holder
- Rear **10 kg flywheel** with 16 level of magnetic resistance
- Belt drive, **two-way transmission system**
- **Heavy duty 3-pc steel crank**
- Emergency brake level-arm for safety riding







10 Kg Flywheel

Manual Magnetic, 16 Levels

3-pcs Crank

Belt Drive

FTMS

150 kg

JKEXER 3929

Cycling for All Levels of Cyclists

- **Chain drive**, fix-wheel system satisfying the pleasure of riding
- **Heavy duty 3-pc steel crank**
- Emergency brake level-arm for safe riding
- Semi-commercial grade **19 kg 450mm dia. die-casting**
- New **multi-purpose handlebar** to match your riding style







19 Kg
Cast-Iron

Manual
Felt Friction

3-pcs Crank

Chain Drive

FTMS

150 kg

JKEXER 2960

- Commercial grade **22 kg aluminum alloy flywheel**
- **Multi-purpose handlebar** to match your riding style
- 4-way adjustable **aluminum alloy** handlebar and seat post
- **Heavy duty 3-pc steel crank**
- Commercial-grade **SPD pedals** designed for professional training

Feel the Momentum and Electircity in your studio







22 Kg
Die-casting with Aluminum

Manual Magnetic

3-pcs Crank

Belt Drive

FTMS

150 kg

JKEXER 2950

Focus On Spinning, Break Your Limits

- 20kgs die-casting flywheel, sturdy and stable
- Silent and smooth belt drive system
- Felt brake pad system
- **4-way adjustable handlebar and seat post**







20 Kg Die-casting

Manual Felt Friction

3-pcs Crank


Belt Drive

FTMS

150 kg

EXERCISE BIKES/ ELLIPTICAL TRAINERS

JKexer 7100 ---------- P27
JKexer 7110 ---------- P28
JKexer 6100 ---------- P29
JKexer 6110 ---------- P30
JKexer 6120 ---------- P31
JKexer 6200 ---------- P32



JKEXER 7100

Upright bike with a built-in desktop?! Perfect for the modern 'work from home' lifestyle



- **Magnetic Motor tension**, with 16 ranges resistance
- Seat post- Horizontal and vertical Adjustable.
- **Bluetooth connectivity** to synchronize with fitness apps to track your workout progress.





- **Horizontal adjustable wooden desk** for workout and working at same time.



7 Kg

Motorized
Magnetic, 16 levels

3-pcs Crank

Belt Drive

FTMS

150 kg

JKEXER 7110

Lazy? No Problem.
Swivel In, Sit Back, and Pedal with Ease.

- **Magnetic Motor tension**, with 16 ranges resistance
- **Bluetooth connectivity** to synchronize with fitness apps to track your workout progress.
- **180⁰ swivel seat** for easy getting on/ off
- **Mesh seat back + ergonomic PU seat** with Aluminum rail for enhanced comfort










7 Kg



Motorized
Magnetic, 16 levels



3-pcs Crank



Belt Drive



FTMS



150 kg

JKEXER 6100

Color Your Workout Experience.



- **Magnetic Motor tension**, with 24 ranges resistance
- **Color LCD touch panel** for an enjoyable user experience and easy readability.
- **Relatively strong 9 KG flywheel**
- **Seat post- Horizontal and vertical Adjustable.**
- **Bluetooth connectivity** to synchronize with fitness apps to track your workout progress.






9 Kg



Motorized
Magnetic, 24 levels



3-pcs Crank



Belt Drive



FTMS



150 kg

JKEXER 6110

Smooth Entry, Relaxed Riding.
Step In, Sit Back, and Ride!

- **Magnetic Motor tension**, with 24 ranges resistance
- **Color LCD touch panel** for an enjoyable user experience and easy readability.
- **Relatively strong 9 KG flywheel**
- **Low-flow structure design for easy entrance to use**
- **Bluetooth connectivity** to synchronize with fitness apps to track your workout progress.








9 Kg



Motorized
Magnetic, 24 levels



3-pcs Crank



Belt Drive



FTMS



150 kg

JKEXER 6120

Smooth Strides, Zero Joint Stress.

- **Magnetic Motor tension**, with 24 ranges resistance
- **Color LCD touch panel** for an enjoyable user experience and easy readability.
- **Relatively strong 10 KG flywheel**
- **Pedal 3 position adjustable**
- **Bluetooth connectivity** to synchronize with fitness apps to track your workout progress.






10 Kg
Stride Length: 18"



Motorized
Magnetic, 24 levels



3-pcs Crank



Belt Drive



FTMS



150 kg

JKEXER 6200

- **Magnetic Motor tension**, with 24 ranges resistance
- **Front drive system**
- **Relatively strong 9 KG flywheel**
- **Stride Length: 19"**
- **5 Adjustable positions for incline**

A Must-have For Any Gyms and Enthusiasts










9 Kg
Stride Length: 19"



Motorized
Magnetic, 32 levels



3-pcs Crank



Belt Drive



FTMS



150 kg

AIR BIKES

JKexer 6435 _____ P34



JKEXER 6435

The Bike That Works as Hard as You Do

- **29" diameter steel fan** delivers maximum resistance
- **The rotating footrest pegs + central rest board** for greater comfort
- **Multi-grip Handlebars** for better grip angles





- **5” digital performance monitor**




- **2 adjustable vents** to release air in desired directions


29"
Steel Fan



Air
Resistance


3-pcs Crank


Belt Drive


FTMS



150 kg

ROWERS

JKexer 645 ---------- P36
JKexer 625 ---------- P37
JKexer 650 ---------- P38
JKexer 651 ---------- P39
JKexer 607 ---------- P40
JKexer 819 ---------- P41
JKexer 643 ---------- P42
JKexer 605 ---------- P43



JKEXER 645

Unique Vertical Water Tank
Solid Construction for Steady Performance

- **Vertical water tank** with 6 hydro resistance levels
- a 48 cm high seat for **optimal positioning**
- **The aluminum sliding rail** ensures a smooth riding experience.
- **Adjustable footplates with quick-adjust straps**
- **Upright storage** to save space







Water Tank
6 levels



Hydro
Resistance



Effective Rail
Length:830 mm



FTMS



150 kg

JKEXER 625

Delivering the Natural Rowing Feel
Solid Construction for Steady Performance

- **Horizontal water tank** with 6 hydro resistance levels
- The 32 cm high seat for **optimal positioning**
- **Upright storage** to save space
- **Dual aluminum rails** for steadier and smoother rowing experience.
- **Easy-to-read console displays drag force**





Water Tank
6 levels



Hydro
Resistance



Effective Rail
Length:730 mm



Belt-In
Receiver



FTMS



150 kg

JKEXER 650

Harness the Power of Air.
A Fluid and Powerful Rowing Experience.



- **Powerful Fan Resistance for dynamic and challenging workouts.**
- **Aluminum rail with stainless steel slide** ensures stability and fluid motion.
- **PU saddle and 6-position adjustable pedals** provide ultimate comfort
- **Bluetooth FTMS compatibility** for app integration and workout tracking




432 mm Air Fan



Manual 10 levels


Effective Rail Length:1200 mm


Belt-In Receiver


FTMS



150 kg

JKEXER 651

MagAir Row Smoother, Train Harder ideal for users of all fitness levels.





- **Air** levels 1-7 for dynamic resistance, with **magnetic** added from levels 8-10 for stronger resistance.
- **Aluminum rail with stainless steel slide** ensures stability and fluid motion.
- **PU saddle and 6-position adjustable pedals** provide ultimate comfort
- **Bluetooth FTMS compatibility** for app integration and workout tracking
- **Easy detachable** with a single-handed lift for quick and convenient storage.





3.5 kg Flywheel
432 mm Air Fan



Manual;
Air + Magnetic,
10 levels



Effective Rail
Length:1200 mm



FTMS



150 kg

JKEXER 607

Rolling & Canoeing.
Dual oars & D-grips for More Workout Possibilities

- **Dual Oar System** simulates real rowing motion
- Lightweight **0.4kg Patented Aluminum Flywheel** generates up to 35kg of smooth, consistent resistance.
- **Adjustable vents to release air in desired directions**
- **Bluetooth FTMS compatibility** for app integration and workout tracking





Aluminum Flywheel

Manual Magnetic, 16 levels

Effective Rail Length:660 mm

FTMS

120 kg

JKEXER 819

Self-generating power system
Place it Anywhere and Row Freely

- No external power needed; **generate electricity as you row.**
- Precision **aluminum sliding rail** ensures a quiet and fluid motion.
- **PU-molded car-use seat, roomy pedals with safety straps** for maximum comfort
- **Fold-up design with transport wheels for effortless storage and mobility.**





268 mm
7 Kg Flywheel

Motorized
Magnetic, 16 levels

Effective Rail
Length:1300 mm

FTMS

MAX KG
150 kg

JKEXER 643

Row in Style. Train with Precision.

- Utilizes **EMS Electromagnetic Control** Resistance for precise resistance control from 1% to 100%.
- Precision **aluminum sliding rail** ensures a quiet and fluid motion.
- **Colorful Shuttle Knob with 3 Color-Coded** Resistance Levels for Intuitive Control.
- **Precision aluminum sliding rail** ensures a quiet and fluid motion.









EMS Electromagnetic, Max 35kg



Motorized Magnetic, 100%



Effective Rail Length:830 mm



FTMS



150 kg

JKEXER 605

MagRow Brings More Than You Expect

- **Integrated footplates** for versatile exercises like row up, bent over row and curls.
- **Bluetooth Connectivity** for workout apps, plus a built-in tablet holder for entertainment.





- Precision **aluminum sliding rail** ensures a quiet and fluid motion.
- **Durable** nylon belt, textured non-slip foot pedals with safety straps





3 kg Flywheel	Manual Magnetic, 14 levels	Effective Rail Length:1160 mm	Belt-In Receiver	FTMS	135 kg

STEPPERS

JKexer 6020 ---------- P45

JKexer Combo 50 ---------- P46

JKexer 390 ---------- P48



JKEXER 6020

Built for Stability, Comfort, and Performance
Push Your Limits with Every Step.

- **Heavy-gauge flywheel** with motor-controlled tension for smooth, consistent performance.
- **Advanced Black Mask LCD** Console Display for readability
- **Double Belt drive system** ensures a smooth and quiet workout experience
- **Non-slip large pedals** for balanced support and stability







7 kg Flywheel

Motorized 16 Levels

Belt Drive


FTMS

150 kg

JKEXER Combo 50

Step, Squat, Strength Training In ONE
Step into Modern Minimalism





- **Patented design** combines step, squat and strength training in one equipment.
- **Dual-data monitor** to track both your squat count, step count
- **Fully adjustable** for a personalized workout
- **Compact size & built-in transport wheels** allow users to work out anywhere for easy storage

Resistance
Stepper - Hydraulic Cylinder
Squat - Air Cylinder

Adjustment
Stepper - 26° to 40°
Squat - 5 positions

MAX KG
110 kg

Combo 50



Step



Upper Body



Squat



Digital display to track both step and squat workout data in one place



5 different squat positions to suit all fitness levels and goals.



4 different handlebar heights to suit all users heights.





Turn the knob for step height. 26° to 40° adjustable step height



Bulit-in transport wheels for easy movement

JKEXER 390

More Than a Climber
CoreStair Brings Revolutionizing Fitness

- **Combines stair climbing and ab crunching** for a versatile workout.
- **Patented Quick-Flip Pedal** easily switch modes for an exercise experience.
- **3 adjustable incline levels** to customize workout intensity.
- **Pre-assembled design** for quick and hassle-free setup.
- **Flat-folding design** for space-saving storage.





PILATES

JKexer 1000 _____ P50



JKEXER 1000

Graceful Movement, Powerful Results.

- **Anti-slip leather and high-density padding** achieve a high comfortable bed pad
- **5 elastic ropes+4 strong springs** providing high intensity workout
- **Easy assembly** to avoid defects caused by improper assembly
- **Certified structural strength** to meet safety and durability demand
- Home use but equipped with **'JUMP BOARD'** for more workout
- **Foldable design + Built-in transport wheels** for easy storage & easy moving.





Accessory



120 kg

MULTI GYM

JKexer519 ---------- P52
JKexer9915 ---------- P53
JKexer9925 ---------- P55
JKexer9980 ---------- P56
JKexer9985 ---------- P57




JKEXER 519

Strengthen Your Core, Protect Your Back.





- Built with **Semi-Commercial Grade steel pipe.**
- **Thick foam pad** to provide comfy exercise.
- **Easy adjustment on backrest and leg anchor** to perform multiple core training.



Adjustment
4-position back rest
8-position thigh support
2-position foam roller



135 kg

JKEXER 9915

Compact Design for Two Users, Provides Super Fun Workouts

- Designed to perform **a variety of exercise combination**
- Train every muscle group efficiently with **a device holder and an 360° 8-angle adjustable seat**
- **Separate weight installations on each side** allow two users to train simultaneously
- **Maximize space** with its compact build, featuring **two transport wheels** for easy mobility and storage.





120 kg

9915



Device holder for training instruction



360° 8-angle adjustable seat



Separate weight installations on each side holds up to 15 kg (weight not included)



Transport with ease



















JKEXER 9925

The Game-Changer in Home Gyms
The First & Only Movable Multi-Gym



- The first and only innovation in gym equipment transportation with our **patented SwitchPro** technology
- Great-engineered weight stacks with **PP coating** for quiet performance
- **D-Grip & Ankle strap attachment allowing for versatile workout**





150 lbs



120 kg

JKEXER 9980


Unleash Your Full Potential
One Station, Endless Workouts!



- Great-engineered weight stacks with **PP coating** for quiet performance
- **Features 5 dedicated stations for targeted muscle training**
- **D-Grip & Ankle strap attachment allowing for versatile workout**
- **10+ efficient workouts** like High pulley, Low pulley, Butterfly arm, Chest Press, Leg extension



120 kg



150 lbs

JKEXER 9985

Get The Most of Your Multigym

- Great-engineered weight stacks with **PP coating for quiet performance**
- **Board, D-Grip & Ankle strap attachment** allowing for versatile workout
- **15+ efficient workouts** like High pulley, Mid pulley,Low pulley, Butterfly arm,Chest press, Arm curl





210 lbs 120 kg

SPECIFICATION

Treadmills _____ P59

Racing Bikes/Air Bikes _____ P63

Exercise Bikes/Elliptical _____ P64

Rowers _____ P66

Steppers _____ P68

Pilates/Multi Gym _____ P69

Model	JKexer 655		JKexer 337		JKexer 330	
Application	Semi-Commercial		Home Use		Home Use	
Motor	AC 2.0 CHP		DC 2.7 HP Duty		DC 2.5 HP Duty	
Mode	Running Mode	Hiking Mode	Running Mode	Hiking Mode	Running Mode	Hiking Mode
Gradient	Motorized 0~15 levels	Motorized 15~40 levels	Motorized 0~15 levels	Motorized 15~40 levels	Motorized 0~15 levels	Motorized 15~40 levels
Speed Range	0.8~16 KPH	0.8~6 KPH	0.8~12 KPH	0.8~6 KPH	0.8~12 KPH	0.8~6 KPH
Display / Function	6.7" mm Backlit LCD + 2 dot matrix Speed, Distance, Incline, Calories, Time, Pulse, Level, Program, Step, BMI, BMR, Fat, Body Type, Lube Alert		6.7" mm Backlit LCD + 2 dot matrix Speed, Distance, Incline, Calories, Time, Pulse, Level, Program, Step, BMI, BMR, Fat, Body Type, Lube Alert		4.9" Blue Backlit LCD Speed, Incline, Distance, Calories, Time, Pulse, Level, Program, Lube Alert	
Program	12 Preset, 3 Target, HRR (E.M.T.A.I) Heart Rate Training Prorgrams, Fat	5 Preset, 3 Target, HRR(E.M.T.A.I) Heart Rate Training Prorgrams, Fat	12 Preset, 3 Target, HRR (E.M.T.A.I) Heart Rate Training Prorgrams, Fat	5 Preset, 3 Target, HRR(E.M.T.A.I) Heart Rate Training Prorgrams, Fat	12 Running, 3 Target, 3 HRC	5 Climbing, 3 Target, 3 HRC
Bluetooth Connectivity	APPs, Heart Rate		APPs, Heart Rate		APPs, Heart Rate	
Tablet Holder	✓		✓		✓	
Pulse Built-in Receiver	–		–		–	
Fan	–		–		–	
Speaker	–		–		–	
USB Socket	✓		✓		–	
Suspension System	–		–		–	
Foldability	–		–		–	
Folding Size	–		–		–	
Running Area	510 x 1320 mm (20 x 52")		510 x 1320 mm (20 x 52")		510 x 1220 mm (20 x 48")	
Max User Weight	136 kg		136 kg		120 kg	
Dimension	1537 x 800 x 1732 mm		1537 x 800 x 1732 mm		1437 x 823 x 1784 mm	
Packing Dimension	(A) 1950 x 890 x 385 mm (B) 820 x 685 x 210 mm		(A) 1950 x 890 x 385 mm (B) 820 x 685 x 210 mm		1495 x 890 x 385 mm	
N.W. / G.W. / M'ST	110 / 117.5 kg / 22.8 cuft		100.5 / 108.5 kg / 23.5 cuft		81.5 / 89 kg / 18.13 cuft	
20' / 40' / 40'HQ	42 / 90 pcs		42 / 88 pcs		45 / 112 pcs	

Model	JKexer 897		JKexer 395	
Application	Home Use		Home Use	
Motor	DC 3.0 HP Duty		DC 2.7 HP Duty	
Mode	Running Mode	Work/Walk Mode	Running Mode	Gym Mode
Gradient	Motorized 0~12%	Motorized 0%	Motorized 0~12%	Motorized 0%
Speed Range	0.8~18 KPH	0.8~6.0 KPH	0.8~16 KPH	0 KPH
Display / Function	Main: 6.7" Backlit LCD + 2 Dot Matrix Secandary: 3.8" LCD (Work Mode) Time, Speed, Distance, Calories, Pulse, Step, Lube Alert		6.7" backlit LCD ; 2 Dot Matix Calories, Distance, Lap, Seep, Pulse, Level, Incline, Body Type, Weight, Age, BMI, BMR, FAT, Recovery	Calories, Count , SPM, Stroke, Pulse, Level (1~8), Weight (7-14kg), BMI, BMR, FAT, Height, Age , Body Type, Recover
Program	12 Preset, 3 Target, 3 HRC, 2 User		12 Preset, 3 Target, 3 HRC, 3 User	-
Bluetooth Connectivity	APPs, Heart Rate		APPs, Heart Rate	
Tablet Holder	✓		✓	
Pulse Built-in Receiver	–		–	
Fan	✓		–	
Speaker	✓		✓	
USB Socket	✓		✓	
Suspension System	ASA		✓	
Foldability	Manual		Manual	
Folding Size	925 x 850 x 1600 mm		870 x 800 x 1690 mm	
Running Area	510 x 1400 mm (20 x 55")		460 x 1320 mm (18 x 52")	
Max User Weight	140 kg		136 kg	
Dimension	1800 x 850 x 1340 mm		1870 x 800 x 1510 mm	
Packing Dimension	1835 x 950 x 382 mm		(A) 1920 x 855 x 310 mm (B) 1510 x 460 x 330/230 mm	
N.W. / G.W. / M'ST	102 / 114 kg / 23.5 cu'ft		90 / 105 kg / 22.3 cu'ft	
20' / 40' / 40'HQ	42 / 88 pcs		44 / 95 pcs	

Model	JKexer 875	JKexer 823	JKexer 717	JKexer 920
Application	Home use	Home use	Home use	Commercial
Motor	DC 3.0 HP Duty	DC 2.7 HP Duty	DC 2.5 HP Duty	AC 4.0 CHP
Gradient	Motorized 0~12%	Motorized 0~12%	Motorized 0~12%	Motorized 1~20 levels
Speed Range	0.8~18 KPH	0.8~18 KPH	0.8~16 KPH	1~25 KPH
Display	6.7" backlit LCD 2 Dot Matix	4.7" backlit LCD ; 1 Dot Matrix	4.7" Green Backlit LCD	4 LED Windows
Function	Speed, Distance, Time, Calories, Incline, Pulse, Level, BMI, BMR, MET, Recovery	Speed, Distance, Time, Calories, Incline, Pulse, Level, Program, BMI, BMR, Body Type, Body Fat	Speed, Incline, Distance, Calories, Time, Pulse, Level, Program, BMI, BMR, Body Fat, Body Type	Speed, Incline, Time, Calories, Distance, Pulse
Program	12 Preset, 3 Target, 3 HRC, 3 User	7 Preset, 3 Target, 2 HRC, 2 User	7 Preset, 3 Target, 2 HRC, 2 User	Manual program + 80 Built-in workout programs + Body Fat
Bluetooth Connectivity	APPs, Heart Rate	-	APPs, Heart Rate	APPs, Music
Tablet Holder	✓	✓	✓	✓
Pulse Built-in Receiver	-	-	-	-
Fan	-	-	-	-
Speaker	✓	-	-	✓
USB Socket/ Charger	✓	-	-	Wireless Charging
Suspension System	ASA	ASA	✓	✓
Foldability	Manual	Manual	Manual	-
Folding Size	1000 x 830 x 1610 mm	950 x 850 x 1590 mm	900 x 770 x 1460 mm	-
Running Area	510 x 1420 mm (20 x 56")	510 x 1400 mm (20 x 55")	432 x 1270 mm (17 x 50")	620 x 1650 mm (24.4x 65")
Max User Weight	140 kg	136 kg	120 kg	180 kg
Dimension	1870 x 830 x 1500 mm	1770 x 850 x 1400 mm	1600 x 770 x 1460 mm	2380 x 1040 x 1615 mm
Packing Dimension	1910 x 890 x 350 mm	1810 x 880 x 320 mm	1630 x 780 x 320 mm	2290 x 1080 x 640 mm
N.W. / G.W. / M'ST	87 / 99 kg / 21 cu'ft	79 / 86 kg / 18 cu'ft	60.5 / 66 kg / 14.4 cu'ft	170 / 180 kg / 58.98 cu'ft
20' / 40' / 40'HQ	44 / 95 pcs	50 / 106 pcs	72 / 150 / pcs	15 / 33 / 43 pcs

Model	JKexer 652	JKexer 845	JKexer 723	Padtread 693
Application	Semi-Commercial	Home use	Home use	Home use
Motor	AC 2.0 CHP	BLDC 1.75 HP	DC 1.25 CHP	DC 1.0 CHP
Gradient	Motorized 0~20 levels	Motorized -6~15%	Motorized 0~15 levels	-
Speed Range	1~24 KPH	1~18.8 KPH	1~16 KPH	Run: 0.5~12 KPH Walk: 0.5~6 KPH
Display	LED Display with Blue Backlit	LED	5" Blue Backlit LCD	Dual LED Display
Function	Speed, Incline, Time, Calories, Distance, Pulse	Speed, Time, Calories, Distance, Incline, Pulse	Speed, Time, Calories, Distance, Incline, Pulse, Body Fat	Speed, Time, Calories, Distance
Program	Manual program + 24 Built-in workout programs + Body Fat	Manual Program	Manual, 40 Built-in program, 5 User	Manual, 15 preset program, 3 User
Bluetooth Connectivity	APPs	APPs, Music	APPs, Music	APPs, Music
Tablet Holder	✓	✓	✓	✓
Pulse Built-in Receiver	-	-	-	-
Fan	✓	-	-	-
Speaker	[Optional]	✓	✓	✓
USB Socket/ Charger	✓	-	-	-
Suspension System	✓	✓	✓	-
Foldability	-	Manual	Manual Flat Folding	Manual Flat Folding
Folding Size	-	-	215 x 755 x 1557 mm	1320 x 750 x 140 mm
Running Area	580 x 1500 mm (22.8 x 59")	520 x 1350 mm (20.5 x 53")	450 x 1200 mm (17.7x 53")	420 x 1030 mm (16.5 x 40.55")
Max User Weight	150 kg	150 kg	120 kg	100 kg
Dimension	2050 x 840 x1420 mm	1750 x 890 x 1414 mm	1631 x 736 x 1171 mm	1250 x 750 x 1080 mm
Packing Dimension	2215 x 900 x 520 mm	1790 x 980 x 325 mm	1660 x 770 x 250 mm	1430 x 750 x 165 mm
N.W. / G.W. / M'ST	106 /123 kg / 36.6 cu'ft	86 / 98 kg / 20.13 cu'ft	54 / 61 kg /11.05 cu'ft	33 / 39 kg / 6.25 cu'ft
20' / 40' / 40'HQ	24 / 52 / 64 pcs	49 / 100 / 115 pcs	82 / 170 / 219 pcs	160 / 330 / 394 pcs

Model	JKexer 3939	JKexer 3956	JKexer 3929	JKexer 2960	JKexer 2950	JKexer 6435
Application	Commercial	Semi Commercial	Semi Commercial	Commerical	Semi-Commercial	Semi-Commercial
Category	Racing Bike	Racing Bike	Racing Bike	Racing Bike	Racing Bke	Air Bike
Wheel	30 Kg CNC steel	10kg Alloy + Steel with 16 magnetic tension	19kg Cast-Iron	22kg Die-casting with Aluminum Alloy	20kg Die-casting	29" Steel Fan
LCD size	4.7" LCD	4.3" LCD	4.7" LCD	3.7" LCD	3.7" LCD	5.3" LCD
Function	Scan, Time, Distance, Calories, Heart Rate	Distance, Time, Calories, Speed, Pulse, RPM, Load, Watt	Scan, Time, Distance, Calories, Heart Rate	Scan, RPM, Time, Speed, Distance, Calories, Built in receiver	Scan, RPM, Time, Speed, Distance, Calories, Built in receiver	RPM,Time, Speed, Distance, Calories, Pulse, Watt, Recovery, Body Fat
Bluetooth Connectivity	APPs (FTMS) Heart Rate	APPs (FTMS) Heart Rate	APPs (FTMS) Heart Rate	APPs (FTMS) Heart Rate	APPs (FTMS) Heart Rate	APPs (FTMS)
Tablet holder	✓	✓	✓	[Optional]	[Optional]	✓
Crank	5-arm steel crank	3-pcs Crank	3-pcs Crank	3-pcs Crank	3-pcs Crank	3-pcs Crank
Drive	Belt Drive	Belt Drive	Chain Drive	Belt Drive	Belt Drive	Belt Drive
Axle	20 mm	20 mm	20 mm	20 mm	20 mm	-
Pedal	Aluminum Alloy; Toe Cage	Aluminum Alloy; Toe Cage	Aluminum Alloy; Toe Cage	SPD Shoe Clip + Toe Cage	Aluminum Alloy; Toe Cage	Aluminum Alloy; Toe Cage
Seat Adjustment	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal
Handlebar Adjustment	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	-
Max User Weight	150 kg	150 kg	150 kg	150 kg	150 kg	150 kg
Dimension	1230 x 540 x 1245 mm	1405 x 600 x 1200 mm	1350 x 540 x 1250 mm	1360 x 610 x 1240 mm	1487 x 610 x 1236 mm	1330 x 767 x 1325 mm
Packing Information	1130 x 250 x 920 mm	1310 x 270 x 970 mm	1127 x 248 x 920 mm	1140 x 280 x 950 mm	1140 x 280 x 950 mm	1280 x 380 x 890 mm
N.W. / G.W. / M'ST	69 / 73 kg / 9.07 cu'ft	47 / 53 kg / 12.11 cu'ft	56 / 60 kg / 9.07 cu'ft	65 / 71 kg / 10.71 cu'ft	64 / 70 kg / 10.71 cu'ft	60 / 72 kg / 11.41 cu'ft
20' / 40' / 40'HQ	114 / 236 pcs	76 / 160 pcs	114 / 236 pcs	92 / 188 / 212 pcs	92 / 188 / 212 pcs	84 / 180 PCS

Model	JKexer 7100	JKexer 7110	JKexer 7120
Application	Semi-Commercial	Semi-Commercial	Semi-Commercial
Category	Upright Bike	Recumbent Bike	Elliptical Trainer
Flywheel	7 kg	7 kg	8 kg
Magnetic Resistance	Motorized; 16 Magnetic Tension	Motorized; 16 Magnetic Tension	Motorized; 16 Magnetic Tension
LCD Size	Black Masked LCD	Black Masked LCD	Black Masked LCD
Function	Time, Speed, RPM, Watt, Pulse, Distance, Calories, Recovery, Body fat	Time, Speed, RPM, Watt, Pulse, Distance, Calories, Recovery, Body fat	Time, Speed, RPM, Watt, Pulse, Distance, Calories, Recovery, Body fat
Program	1 Manual, 12 Preset Programs, 1 HRC, and 1 Watt program	1 Manual, 12 Preset Programs, 1 HRC, and 1 Watt program	1 Manual, 12 Preset Programs, 1 HRC, and 1 Watt program
Drive	Belt Drive	Belt Drive	Belt Drive
Handle Pulse	✓	✓	✓
Bluetooth Connection	APPs, Heart Rate	APPs, Heart Rate	APPs, Heart Rate
Tablet Holder	✓	✓	✓
Pulse Built-in Receiver	-	-	-
Crank	3-pcs Crank	3-pcs Crank	3-pcs Crank
Stride Length	-	-	19" Stride Length
Seat Adjustment	Vertical / Horizontal	Horizontal / 180^{o} Swivel	-
Max User Weight	150 kg	150 kg	150 kg
Dimension	1040 x 640 x 1440 mm	1600 x 720 x 1250 mm	1600 x 720 x 1250 mm
Packing Dimension	1109 x 318 x 715 mm	1576 x 339 x 715mm	a) 1150 x 550 x 740 mm b) 1580 x 370 x 330 mm
N.W. / G.W. / M'ST	48.5 / 54.3 kg / 8.9'	55.5 / 63.9 kg / 13.5'	a) 51 / 58 kg / 16.8 cu'ft b) 25 / 29.5 kg / 7.6 cu'ft
20' / 40	105 / 222 / pcs	63 / 132 / pcs	40 / 80 / pcs

Model	JKexer 6100	JKexer 6110	JKexer 6120	JKexer 6200
Application	Semi-Commercial	Semi-Commercial	Semi-Commercial	Semi-Commercial
Category	Upright Bike	Recumbent Bike	Elliptical Trainer	Elliptical Trainer
Flywheel	9 kg	9 kg	10 kg	9 kg
Magnetic Resistance	Motorized; 24 Magnetic Tension	Motorized; 24 Magnetic Tension	Motorized; 24 Magnetic Tension	Motorized; 32 Magnetic Tension
LCD Size	Color Touchscreen LCD	Color Touchscreen LCD	Color Touchscreen LCD	5.4" Backlit LCD
Function	RPM, Time, Speed, Distance, Temprature, Pulse, Calorie, Pulse Recovery, Body Fat	RPM, Time, Speed, Distance, Temprature, Pulse, Calorie, Pulse Recovery, Body Fat	RPM, Time, Speed, Distance, Temprature, Pulse, Calorie, Pulse Recovery, Body Fat	Time, Pulse, Watt, Speed, RPM, Calories, Distance, Recovery, Body fat
Program	27 programs	27 programs	27 programs	1 Manual, 10 Preset, 3 HRC, 1 T.H.R., 1 Body Fat, 1 Recovery, and 3 Target program
Drive	Belt Drive	Belt Drive	Belt Drive	Belt Drive
Handle Pulse	✓	✓	✓	✓
Bluetooth Connection	APPs (FTMS)	APPs (FTMS)	APPs (FTMS)	APPs (FTMS)
Tablet Holder	✓	✓	✓	✓
Pulse Built-in Receiver	[Optional]	[Optional]	[Optional]	[Optional]
Crank	3-pcs crank	3-pcs crank	3-pcs Crank	3-pcs Crank
Stride Length	-	-	18" Stride Length	19" Stride Length
Seat Adjustment	Vertical / Horizontal	Horizontal	-	-
Max User Weight	150 kg	150 kg	150 kg	150 kg
Dimension	1425 × 620 × 1450 mm	2025 × 645 × 1250 mm	2050 × 700 × 1730 mm	1700 x 620 x 1730 mm
Packing Dimension	1265 × 370 × 890 mm	1945 × 445 × 815 mm	1740 × 375 × 810 mm	1770 x 430 x 825 mm
N.W. / G.W. / M'ST	53 / 62kg / 13.52 cu'ft	71 / 83 kg / 24.91 cu'ft	81 / 92 kg / 18.66 cu'ft	80 / 100 kg / 22.17 cu'ft
20' / 40	61 / 132 pcs	37 / 94 pcs	44 / 92 pcs	40/ 84 pcs

Model	JKexer 645	JKexer 625	JKexer 650	JKexer 651
Application	Semi-Comnercial	Home use	Semi-Comnercial	Semi-Comnercial
Flywheel / Fan / Water Volume	Vertical Water Tank	Horizontal Water Tank	dia. 432 mm Air Fan	3.5kg Flywheel + dia. 432 mm Air Fan
Resistance	Manual; 6 hydro resistance levels	Manual; 6 hydro resistance levels	Manual; 10 air resistance levels	Manual; 10 air + magnetic tension
LCD size	5.5" LCD	5.5" LCD	4" LCD	4" LCD
Function	Time, Time/500M, SPM, Drag Force, Distance, Strokes, Total Strokes, Calories, Watt, Pulse (built-in), Quick Start, Standard, Custom, Race, Target (Interval/Single)	Time, Time/500M, SPM, Drag Force, Distance, Strokes, Total Strokes, Calories, Watt, Pulse (built-in), Quick Start, Standard, Custom, Race, Target (Interval/Single)	Time, Time/500M, Distance, Calories, SPM, Watt, Strokes, Total strokes, Pulse (built-in), VR sensor	Time, Time/500M, Distance, Calories, SPM, Watt, Strokes, Total strokes, Pulse, VR sensor
Bluetooth Connection	APPs (FTMS)	APPs (FTMS)	APPs (FTMS)	APPs (FTMS) Heart Rate
Tablet Holder	✓	✓	✓	✓
Pulse Built-in Receiver	✓	✓	✓	-
Pedal	6 positions	6 positions	6 positions	6 positions
Sliding Track	Duo Aluminum Rails, 1220 mm	Duo Aluminum Rails, 1120 mm	Aluminum Rail 1365 mm	Aluminum Rail, 1365 mm
Effective Length	830 mm	730 mm	1200 mm	1200 mm
Seat Height	480 mm	320 mm	370 mm	370 mm
Max User Weight	150 kg	150 kg	150 kg	150 kg
Dimension	2230 x 510 x 1045 mm	2070 x 515 x 970 mm	2420 x 610 x 1020 mm	2420 x 610 x 1020 mm
Folding Size	-	-	-	-
Packing Dimension	(A) 1160 x 460 x 770 mm (B) 1300 x 100 x 80 mm	1145 x 570 x 620 mm	1428 x 398 x 560 mm	1400 x 375 x 550 mm
N.W. / G.W. / M'ST	(A) 41 / 48.9 kg / 14.69' (B) 4.94 / 5.42 kg/ 0.37'	36.7 / 42.8 kg / 14.29 cu'ft	33.8 / 40 kg / 11.03 cu'ft	39 / 43 kg / 10.2 cu'ft
20' / 40 / 40'HQ	70 / 140 / 150 PCS	60 / 120 / 160 pcs	88 /184 / 212 PCS	88 / 184 / 213 pcs

Model	JKexer 643	JKexer 819	JKexer 607	JKexer 605
Application	Semi-Comnercial	Semi-Commercial	Home use	Home use
Flywheel / Fan / Water Volume	EMS Electromagnetic Control	268 dia. 7kg Flywheel with Self-power Generator	0.4 kg Patented Aluminum Flywheel	3 kg Flywheel
Resistance	EMS; 0~100% Max Resistance 35 kg	Motorized; 16 magnetic tension	Manual; 16 magnetic tension	Manual; 14 magnetic tension
LCD size	2.5" LCD	5.6" Blue Backlit LCD	3.4" LCD	3.6" LCD
Function	Resistance, Time, Count, Distance, Speed, Calories, SPM	Time, Count, Distance, Calories, Watt, Strokes, Minute, Pulse	Scan, Time, Count, Distance, Calories, Total Count	Scan, Time, Count, Distance, Calories , RPM, Pulse (built-in),
Bluetooth Connection	APPs (FTMS)	APPs (FTMS) Heart Rate	APPs (FTMS) Heart Rate	APPs (FTMS)
Tablet Holder	✓	✓	✓	✓
Pulse Built-in Receiver	[Optional]	-	-	✓
Pedal	-	-	-	-
Sliding Track	860 mm	1300 mm	660 mm	1160 mm
Effective Length	830 mm	1100 mm	660 mm	765 mm
Seat Height	250~280 mm	430 mm	383~406mm	265 mm
Max User Weight	150 kg	150 kg	120 kg	135 kg
Dimension	1640 X 478 X 650 mm	2230 x 510 x 1030 mm	1750 x 600 x 810 mm	1900 x 590 x 558 mm
Folding Size	-	1200 x 510 x 1660 mm	-	900 x 590 x 1360 mm
Packing Dimension	1650 X 335 X 433 mm	1380 x 770 x 270 mm	1050 x 275 x 695 mm	1195 x 210 x 665 mm
N.W. / G.W. / M'ST	20.5 / 25.5 kg / 8.45 cu'ft	38 / 43 kg / 10.13 cu'ft	31 / 36 kgs / 7.08 cu'ft	29 / 35.3 kg / 5.89 cu'ft
20' / 40 / 40'HQ	120 / 236 / 306 pcs	96 / 200 pcs	147 / 303 / 336 pcs	171 / 360 / 438 pcs

Model	JKexer 6020	CoreStair 390		Combo 50	
Application	Home use	Home use		Home use	
Mode		Stepping Mode	Ab Crunch	Stepping Mode	Squat/Strength
Resistance Type	7 kg Flywheel	-		Hydralic Cylinder	Air Cylinder
Resistance Type	Motorizedl; 16 Motor Tension	-		26~40 degree	5 positions
LCD size	Black Mask LCD	2" LCD		2" LCD with Duo Metrix Display	
Function	Climb Rate, Climb/Min., Limb/Min., Elev. Climbed, Time, Calories, Count, Total Count, Heart Rate, Recovery, Body Fat	Step, Count, Time, Caloris, Scan, Reps/Min		Step Count, Time, Caloris, Scan, Reps/Min	Squat Count, Time, Caloris, Scan, Reps/Min
Program	Manual, Program, User, and Target HR	-		-	
Bluetooth Connection	APPs, Heart Rate	-		-	
Tablet Holder	✓	-		-	
Pulse Built-in Receiver	-	-		-	
Pedal Adjustment	-	Patented Flipping Pedal with Knee Pad		Oversize pedal with 26~40 degree slope adjustment	
Max User Weight	150 kg	110 kg		110 kg	
Dimension	1000 x 980 x 1640 mm	1150 x 570 x 1380 mm		560 x 480 x 1090 mm	
Folding Size	-	1392 x 570 x 135 mm		-	
Packing Dimension	970 x 520 x 810 mm	1440 x 600 x 160 mm		560 x 530 x 263 mm	
N.W. / G.W. / M'ST	57 / 64 / 14.43 cu'ft	25 / 29 kg / 4.88 cu'ft		14 / 15.5 kg / 2.76 cu'ft	
20' / 40 / 40'HQ	62 / 124 pcs	200 / 400 / 470 pcs		350 / 730 / 910 pcs	

Model	JKexer 1000	JKexer 519	JKexer 9915	JKexer 9925	JKexer 9980	JKexer 9985
Application	Home use	Semi-Commercial	Home use	Home use	Home use	Home use
Weigth Stack / Resistence	4 spring coil + 5 Latex Tube	-	Up to 30 kg (weight stack not included)	150 lbs	150 lbs	210 lbs
Function		Back Stretch, Hyperextension, Sit Up, Side Crunch, Push Up, Preacher Curl	Mid Row, Tricep Pushdown, Incline press, Chest Press, Chest Fly, Leg Extension, Bicep Curl, Low Row, Front Raise, Squat Workout	High pulley, Low pulley, Butterfly arm, Chest Press, Leg extension	High pulley, Low pulley, Butterfly arm, Chest Press, Leg extension	High pulley, Mid pulley, Low pulley, Butterfly arm, Chest press, Arm curl, Leg extension
Accessory/ Adjustment	Foot pads, Jumpboard	* 4-position adjustable back rest * 8-position adjustable thigh support * 2-position adjustable foam roller	5-ring adjustable D grip	Short bar, Long bar, Ankle strap, D grip	Short bar, Long bar, Ankle strap, D grip	Short bar, Long bar, Arm curl pad, Trip AB strap, Ankle strap, D grip
Max User Weight	120 kg	135 kg	120 kg	120 kg	120 kg	120 kg
Dimension	1990 x 580 x 770 mm	1570 x 720 x 620 mm	1190 x 885 x 1255 mm	1300 x 1160 x 2060 mm	1300 x 1160 x 2060 mm	1630 x 1195 x 2070 mm
Folding Size	380 x 580 x 1260 mm	-	-	-	-	-
Packing Dimension	1110 x 600 x 285 mm	1195 x 705 x 220 mm	1330 x 630 x 205 mm	-	-	-
N.W. / G.W. / M'ST	35 / 39 kg / 6.70 cu'ft	25.5 / 31.5 kgs / 6.55 cu'ft	39.5 / 43 kgs / 6.1 cu'ft	114 / 117 kg / 7.5 cu'ft	114 / 117 kg / 7.5 cu'ft	166.2 / 171.7 kg / 10.55 cu'ft
20' / 40 / 40'HQ	144 / 288 / 330 pcs	145 / 330 / 360 pcs	164 / 377 / 423 pcs	20'CY - 125 sets	20'CY - 125 sets	20'CY - 96 sets