

HEALTH FIT & SPORT
A VOTRE SERVICE DEPUIS 1995

CATALOGUE PRODUITS

TABLES ET ACCESSOIRES

Tables de traitement, tabourets et accessoires.
Équipements pour les cabinets de physiothérapie.

Route de Taillepied 44
1095 Lutry, Suisse

direction@healthsport.ch

+41 21 903 57 67
healthsport.ch



Structural features

Enhanced structural rigidity achieved through tube thickness.
Mayor rigidez estructural gracias al grosor de los tubos.
Rigidité structurelle améliorée grâce à l'épaisseur du tube.
La rigidità strutturale è stata potenziata allo spessore del tubo.
Erhöhte strukturelle Festigkeit durch die Dicke der Rohre.

Designed with minimal plastic use.
Diseñado con un uso mínimo de plástico.
Conçu avec une utilisation minimale de plastique.
Progettato con un utilizzo minimo di plastica.
Mit minimalem Kunststoffeinsatz gestaltet.

Upgraded wheel lift system.
Sistema de elevación de ruedas mejorado.
Système de levage des roues amélioré.
Sistema di sollevamento delle ruote migliorato.
Verbessertes Radhebesystem.

Greater stability via reinforced connecting rod.
Mayor estabilidad gracias a la biela reforzada.
Stabilité accrue grâce à la bielle renforcée.
Maggiore stabilità grazie alla biella rinforzata.
Höhere Stabilität durch verstärkte Verbindungsstange.

Functional features

Tente castors: European leading brand in medical sector.
Ruedas Tente: Marca europea líder en el sector médico.
Roulettes Tente: marque européenne leader dans le secteur médical.
Ruote Tente: marchio leader europeo nel settore medicale.
Tente-Rollen: Führende europäische Marke im medizinischen Bereich.

Linak silent motors and Timotion fast motor.
Motores silenciosos Linak y motor rápido Timotion.
Moteurs silencieux Linak et moteurs rapides Timotion.
Motori silenziosi Linak e motore rapido Timotion.
Linak Silent-Motoren und Timotion Fast-Motoren


Highly resistant and durable components.
Componentes de alta resistencia y durabilidad
Composants très résistants et durables.
Componenti altamente resistenti e durevoli.
Hochbelastbare und langlebige Komponenten.

5 years warranty on structure and components.
5 años de garantía en estructura y componentes.
5 ans de garantie sur la structure et les composants
5 anni di garanzia su struttura e componenti.
5 Jahre Garantie auf Struktur und Komponenten.

5 YEARS WARRANTY

Ergonomic features

Three-layer design with dual stiffness for optimal functionality and ergonomics.
Diseño de 3 capas con doble rigidez para una funcionalidad y ergonomía óptimas.
Conception à trois couches avec double rigidité pour une fonctionnalité et une ergonomie optimales.
Design a tre strati con doppia rigidità per una funzionalità ed ergonomia ottimali.
Dreischichtdesign mit doppelter Steifigkeit für optimale Funktionalität und Ergonomie.





40 gr/cm² surface layer (20 mm)
Capa superior de 40 gr/cm²
Couche de surface 40 gr/cm²
Strato superficiale da 40 gr/cm²
Deckschicht 40 g/cm²

Base layer of 50 gr/cm² (20 mm)
Capa base de 50 gr/cm²
Couche de base 50 gr/cm²
Strato base da 50 gr/cm²
Basisschicht 50 g/cm²

Stiffer 15 mm board
Tablero rígido de 15 mm
Panneau rigide de 15 mm
Pannello rigido da 15 mm
Stärkere 15-mm-Platte


Avant **201**



Avant **201**

MD


2 Sections



KG 82 kg	Max. 250 kg
Base colour	
Wheels	TENTE
Motor	T:MOTION
Back rest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓








Avant **431**

MD

4 Sections.
Three – section headrest



KG 83 kg	Max. 250 kg
Base colour	
Wheels	TENTE
Motor	T:MOTION
Back rest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓








Avant **411**

MD

4 Sections
One – section headrest



KG 83 kg	Max. 250 kg
Base colour	
Wheels	TENTE
Motor	TiMOTION
Back rest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓








Avant **532**

MD

5 Sections / 2 motors
Three – section headrest



KG 95 kg	Max. 250 kg
Base colour	
Wheels	TENTE
Motor	TiMOTION
Back rest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓






Avant **531**

MD

5 Sections
Three – section headrest



KG 87 kg	Max. 250 kg
Base colour	
Wheels	TENTE
Motor	TiMOTION
Back rest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓







Avant **colour** range

- Colour **Anthracite**
- Colour **Ocean**
- Colour **Blue**
- Colour **Pearl**
- Colour **Wine**
- Colour **Cactus**
- Colour **Taupe**
- Colour **Ivory**

Avant **motor**

- **High-speed drive:** TiMotion TA37 actuator, 15 mm/s, 6000N.
- **Height range:** 43 – 93 cm, full stroke in approx. 14s.
- **Optional battery** with charge control available — requires a simple control box change.
- **Class I Medical Device.** European Regulation of medical devices.


TiMOTION



Classic **201**

MD

2 Sections



KG 77 kg	Max. 250 kg
Base colour	○ ●
Wheels	TENTE
Motor	LINAK
Headrest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓







Classic **431**

MD

4 Sections.
Three – section headrest



KG 78 kg	Max. 250 kg
Base colour	○ ●
Wheels	TENTE
Motor	LINAK
Headrest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓








Classic **411** MD

4 Sections
One-section – section headrest



KG 77 kg	Max. 250 kg
Base colour	○ ●
Wheels	TENTE
Motor	LINAK
Headrest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓








Classic **532** MD

5 Sections / 2 motors
Three – section headrest



KG 90 kg	Max. 250 kg
Base colour	○ ●
Wheels	TENTE
Motor	LINAK
Headrest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓








Classic **531** MD


5 Sections
Three – section headrest



KG 82 kg	Max. 250 kg
Base colour	○ ●
Wheels	TENTE
Motor	LINAK
Headrest inclination	80º-30º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓







Classic **colour** range

- Colour **Anthracite**
- Colour **Ocean**
- Colour **Blue**
- Colour **Pearl**
- Colour **Wine**
- Colour **Cactus**
- Colour **Taupe**
- Colour **Ivory**

Classic **motor**


- **Features:** Linak KA30 actuator, 6000N, speed 8 mm/s.
- **Height range:** 43 – 93 cm, full stroke in approx. 32s
- **Optional battery** with charge control available — requires a simple control box change.
- **Class I Medical Device.** European Regulation of medical devices

LINAK® WE IMPROVE YOUR LIFE

Pro **201**

MD

2 Sections



KG 62 kg	Max. 250 kg
Base colour	◯
Wheels	TENTE
Motor	LINAK
Backrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Hand controller	✓
Paper roll holder	✓

ELECTRIC








Pro **200**

MD

2 Sections



KG 72 kg	Max. 250 kg
Hydraulic pump 10000N	
Base colour	◯
Wheels	TENTE
Backrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓

HYDRAULIC







Pro **431**

MD

4 Sections.
Three – section headrest



KG 72 kg	Max. 250 kg
Base colour	◯
Wheels	TENTE
Motor	LINAK
Headrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Hand controller	✓
Paper roll holder	✓

ELECTRIC







Pro **430**

MD

4 Sections.
Three – section headrest



KG 72 kg	Max. 250 kg
Hydraulic pump 10000N	
Base colour	◯
Wheels	TENTE
Headrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓

HYDRAULIC







Pro **531**

MD

5 Sections
Three – section headrest



KG 72 kg	Max. 250 kg
Base colour	◯
Wheels	TENTE
Motor	LINAK
Headrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Hand controller	✓
Paper roll holder	✓

ELECTRIC




Optional



Pro **530**

MD

5 Sections
Three – section headrest



KG 72 kg	Max. 250 kg
Hydraulic pump 10000N	
Base colour	◯
Wheels	TENTE
Headrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓

HYDRAULIC







Pro **301**

MD

3 Sections



KG 72 kg	Max. 250 kg
Base colour	◯
Wheels	TENTE
Motor	LINAK
Backrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Hand controller	✓
Paper roll holder	✓

ELECTRIC




Optional



Pro **300**

MD

3 Sections.
Three – section headrest




KG 72 kg	Max. 250 kg
Hydraulic pump 10000N	
Base colour	◯
Wheels	TENTE
Backrest inclination	80º
Medical certification	✓
Quick Assembly System	✓
Paper roll holder	✓

HYDRAULIC









Transfer-ready base

High-clearance base specifically designed to allow patient transfer machines to fit underneath, enabling safer and more efficient patient movement.

PRO DESIGNED TO PERFORM

Smart solutions for everyday care

About Pro features

Robust and efficient

01

PRO Electric: Silent Power

PRO Electric: LINAK KA30 Silent Actuator, 8000N, speed 8 mm/s. – Full stroke 19cm in approx. 32s.

Control and precision

02

PRO Hydraulic: Built to Lift

PRO Hydraulic: Hydraulic pump 10000N made of steel.

100% standards compliant

03

Certified Class I Medical Device

Class I Medical Device. European Regulation of medical devices.

Maximum safety

04

Safe & Certified PVC Leather

M2 fire-resistant certified PVC leather complies with safety standards required for public space applications.

Practical & a accessible

05

Foot controller

Pro Electric: add-on Linak foot controller available as an optional feature.

Absolute freedom

06

Add Battery & Charge Control

Optional battery with charge control available — requires a simple control box change.

Pro colour range
Electric & hydraulic

COLOUR
Anthracite

COLOUR
Ocean




Titan **301**

Titan **301**

MD

2 Sections



KG 79 kg	Max. 200 kg
Base colour	○
Motor	DEWERT
Backrest inclination	80º
Medical certification	☑
Paper roll holder	☑








Titan **308**

MD

4 Sections.
Three-section headrest



KG 77 kg	Max. 200 kg
Base colour	○
Motor	DEWERT
Headrest inclination	80º
Medical certification	☑
Paper roll holder	☑







Kinne

Reliable performance in a functional design

Stable, with foldable legs and 80% less plastic.

Estable, con patas plegables y un 80% menos de plástico.

Stable, avec pieds pliables et 80 % de plastique en moins.

Struttura stabile, gambe pieghevoli e fino all'80% di plastica in meno.

Stabil, mit klappbarem Untergestell und 80 % weniger Kunststoff.



Kinne



Kinne

2 Sections





KG 40 kg	Max. 200 kg
Base colour	◯
Backrest inclination	80º
Paper roll holder	☑





Kinne colour range

COLOUR
Anthracite

Kinne highlights

- **Features:** 80° backrest inclination
- **Convenience:** foldable legs for easy storage and mobility

Obsi

Saddle-style seat for better comfort and posture. Chrome base with adjustable height and 5 wheels for maximum stability.
Anthracite or white upholstery.

⟷	Ø 42 cm	↕	57 - 77 cm
∅	48 cm (base)		48 x 22 x 48 cm
KG	7 kg	Max.	175 kg
● ○	Colours		



Sun

Ultimate comfort with ergonomic seat and backrest, plus customizable height and tilt adjustments. Sturdy base with 5 silent, anti-crush wheels for effortless movement.
Anthracite upholstery.

⟷	Ø 41 cm	↕	50 - 68 cm
∅	48 cm (base)		59 x 30 x 60 cm
KG	11 kg	Max.	175 kg
●	Colours		



Opal

Ergonomic flat and round seat with adjustable height to promote proper posture. Durable star-shaped aluminium base with 5 silent, flexible wheels.
Anthracite or white upholstery.

⟷	Ø 34 cm	↕	56 - 75 cm
∅	48 cm (base)		48 x 22 x 48 cm
KG	6 kg	Max.	175 kg
● ○	Colours		



Sun

Ultimate comfort with ergonomic seat and backrest, plus customizable height and tilt adjustments. Sturdy base with 5 silent, anti-crush wheels for effortless movement.
White upholstery.

⟷	Ø 41 cm	↕	50 - 68 cm
∅	48 cm (base)		59 x 30 x 60 cm
KG	11 kg	Max.	175 kg
○	Colours		



Tro-lleys

Functionality on wheels — trolleys designed professional workspaces.

Funcionalidad sobre ruedas: carros diseñados para espacios de Trabajo profesionales.

Fonctionnalité sur roues — chariots conçus pour des espaces professionnels.

Funzionalità su ruote — carrelli progettati per ambienti di lavoro professionali.

Funktionalität auf Rädern — Wagen für professionelle Arbeitsbereiche konzipiert.



Ulex

Sturdy white metal trolley with 2 shelves, top drawer, and smooth-rolling wheels for easy mobility.



83 cm	55 x 42 cm
Metal and glass	
79 x 47 x 32 cm	
17 kg	30 kg

Thul

Wooden trolley with 1 shelf and 2 drawers for organized storage, plus glide-friendly wheels for easy mobility.



86 cm	57 x 42 cm
Wood	
65 x 50 x 94 cm	
32 kg	30 kg

Unak

Durable white metal and glass trolley with 3 spacious shelves and sturdy, easy-glide caster wheels.



81 cm	60 x 47 cm
Metal and glass	
76 x 46 x 15 cm	
16 kg	30 kg

Topaz

White metal and glass trolley with 3 shelves and sturdy, easy-move wheels for effortless mobility.



80 cm	54 x 43 cm
Metal and glass	
77 x 46 x 16 cm	
14 kg	30 kg

Palm

Head horseshoe cushion



7 cm	29 cm
0,2 kg	
Colour	

Thumb


1/2 Cylinder



60 x 20 cm	10 cm
0,35 kg	
Colour	

Rist

Wedge cushion



65 x 53 cm	28 cm
1,90 kg	
Colour	

Ring

3/4 Cylinder



60 x 20 cm	15 cm
0,52 kg	
Colour	

Index

Cylindrical cushion



55 cm	Ø 25 cm
0,6 kg	
Colour	

Collection **Avant**

01

Avant **411**



Avant **201**



Avant **531**



Avant **431**



Avant **532**



Collection **Classic**

Grey

02

Classic **411**



Classic **201**



Classic **531**



Classic **431**



Classic **532**



Collection **Classic**

White

02

Classic **411**



Classic **201**



Classic **531**



Classic **431**



Classic **532**



Collection **Pro**

Electric

03

Pro **201**



Pro **531**



Pro **431**



Pro **301**



Collection **Pro**

Hydraulic

04

Pro **200**



Pro **530**



Pro **430**



Pro **300**



Collection **Titan**

05

Titan **301**



Titan **304**



Titan **308**



Titan **304 F**



Collection **Kinne**

06

Kinne



Stools

07

Sun **anthracite**



Sun **white**



Obsi **anthracite**



Obsi **white**



Opal **anthracite**



Opal **white**



Trolleys

08

Ulex



Thul



Unak



Topaz



Bolsters

09

Index



Thumb



Rist



Ring



Palm

